

PE TERMINAL WITH SPRING CONNECTION, SECTION: 1.5 - 10 MM², WIDTH: 10MM, COLOR:GREEN-YEL.



General technical data	
Insulation material	thermoplastic
Terminal contact spacing	10.2 mm
Protection class	
Combustibility class acc. to UL 94	V0
Appearance	
Color	green-yellow
Product details	
Product feature / PEN function	Yes
Product component / required / connection plate	No
Number	
Number of terminal levels	1
Number of terminal points / per terminal level	2
Connections	
Connectable conductor cross-section / stranded	
• minimum	1.5 mm ²
• maximum	16 mm ²

Wire stripping length	18 mm
Connectable conductor cross-section	
<ul style="list-style-type: none"> • solid <ul style="list-style-type: none"> — minimum 1.5 mm² — maximum 16 mm² • finely stranded <ul style="list-style-type: none"> — with core end processing / minimum 1.5 mm² — with core end processing / maximum 10 mm² — without core end processing / minimum 1.5 mm² — without core end processing / maximum 10 mm² 	
Type of electrical connection	
<ul style="list-style-type: none"> • 1 spring-loaded terminal • 2 spring-loaded terminal 	
Position / of the terminal	top

Mechanical Design	
Height / with lowest-profile installation	50.5 mm
Length	71.5 mm
Mounting type	DIN rail 35 mm
Net weight	34 g

Environmental conditions	
Ambient temperature	
<ul style="list-style-type: none"> • during operation / minimum -25 °C • during operation / maximum 35 °C 	

General Product Approval	Declaration of Conformity	Shipping Approval	other
--------------------------	---------------------------	-------------------	-------



[sonstig](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/8WH2000-0CJ07>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/8WH2000-0CJ07/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mfb=8WH2000-0CJ07

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>