



 PRODUCT-DETAILS

SPL25/E

PLAIN TERMINATION ALL NC25 LIQTIGHT



General Information

Extended Product Type	SPL25/E
Product ID	7TCA296030R0198
EAN	5020963011627
Catalog Description	PLAIN TERMINATION ALL NC25 LIQTIGHT
Long Description	3/4 Inch Nickel Plated Brass Conduit Entry Gland

Additional Information

Product Main Type	ADAPTAFLEX FLEXIBLE CABLE PROTECTION
Application	Cable Protection at Conduit Entry / Exit Point

Ordering

EAN	5020963011627
UPC	786210246925

Technical

Number of Batteries	0
Color	Metallic
Material	Brass
Size	3/4 Inch

Environmental

WEEE Category	Product Not in WEEE Scope
RoHS Information	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information

Package Level 1 Units	10 piece
Package Level 1 EAN	5020963011627
Package Level 1 Height	9.84 in 250 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	7.87 in 200 mm

Certificates and Declarations

Declaration of Conformity - CE	9AKK107492A9618
RoHS Declaration	9AKK107992A8994
REACH Declaration	9AKK107992A8994

External Classifications and Standards

ETIM 8	EC000814 - Threaded bush
ETIM 9	EC000814 - Threaded bush
UNSPSC	39121312

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

