



PRODUCT-DETAILS

SPL32/E**PLAIN TERMINATION ALL NC32 LIQTIGHT****General Information**

Extended Product Type	SPL32/E
Product ID	7TCA296030R0243
EAN	5020963014888
Catalog Description	PLAIN TERMINATION ALL NC32 LIQTIGHT
Long Description	Nickel Plated Brass Conduit Entry Gland, Nominal Conduit Size 32 Millimeters

Additional Information

Product Main Type	ADAPTAFLEX FLEXIBLE CABLE PROTECTION
Application	Cable Protection at Conduit Entry / Exit Point

Ordering

EAN	5020963014888
UPC	786210247076

Technical

Number of Batteries	0
Color	Metallic
Material	Brass
Size	1 Inch

Environmental

WEEE Category	Product Not in WEEE Scope
RoHS Information	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information

Package Level 1 Units	2 piece
Package Level 1 EAN	5020963014888
Package Level 1 Height	7.87 in 200 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	5.9 in 150 mm

Certificates and Declarations

Declaration of Conformity - CE	9AKK107492A9618
RoHS Declaration	9AKK107992A8994
REACH Declaration	9AKK107992A8994

External Classifications and Standards

ETIM 8	EC000814 - Threaded bush
ETIM 9	EC000814 - Threaded bush
UNSPSC	39121312

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

