



## V410-HDS4608XD

V410-H XD Handheld Reader, black grey, wired, with X-Mode

# Specifications

<b>Decoder type</b>	1D, 2D, DPM, X-Mode (advanced 1D+2D+DPM)
<b>Range</b>	0-71 mm
<b>Sensor</b>	1.02 MP, Mono
<b>Optics class</b>	High Density
<b>2D Code symbologies supported</b>	Aztec, DotCode, Dotted Data Matrix, GS1 Data Matrix (ECC200), GS1 Databar (Composite), GS1 Databar (Stacked), Han Xin, Micro QR, MicroPDF417, PDF417, Postal Codes, QR Code, TLC-39, securPharm
<b>Bar Code symbologies supported</b>	BC412, Base 32 (Italian Pharma), Codabar, Code 11, Code 128, Code 39, Code 93, GS1 Databar, Korean 3 of 5, MSI Plessey, UPC/EAN
<b>Degree of protection (IP)</b>	IP52
<b>Communication port(s)</b>	Serial RS-232C, USB
<b>Supply voltage DC</b>	4.5-5.5 V
<b>Code marking type</b>	Direct part marking
<b>Housing type</b>	Light Industrial
<b>Connection type</b>	Wired

# Accessories



**V410-AC0-1**

V410-H AC Power supply 5.2 VDC, 1.1 A



**V410-AS0**

Presentation stand, hands free operation, V410-H



**V410-WR-2M**

RS-232 interface cable, DB9 connector, 2 m



**V410-WUB-2M**

USB interface cable, 2 m

**V430-WPLC-2M**

Vision Accessory, RS-232C cable for connecting Omron's CS/CJ/NJ controller, 2 m

## CAD Library



### EAC Mark removal Discontinuation Notice

EN PDF 221 KB



### Omron EA3600 PROFINET GSDML file

EN ZIP 2.65 KB



### Omron EA3600 EtherNet/IP EDS file

EN ZIP 2.17 KB



### Traceability Solutions Toolbox Software

EN ZIP 6.05 MB



### V410-H Getting Started Guide

EN PDF 6.01 MB



### V410-H Datasheet

EN PDF 5.08 MB



### V410-H and V450-H Handheld Barcode Reader

#### Users Manual

EN PDF 21.2 MB



### WebLink PC 2.0.2 Software

EN ZIP 170 MB