



## V450-HDS3678-0001

Code reader, handheld, DPM (Direct part mark), Wireless

# Specifications

Decoder type	1D, 2D, DPM, X-Mode (advanced 1D+2D+DPM)
Range	0-147 mm
2D Code symbologies supported	Aztec, DotCode, GS1 Data Matrix (ECC200), Han Xin, Micro QR, MicroPDF417, PDF417, Postal Codes, QR Code, TLC-39
Bar Code symbologies supported	Codabar, Code 11, Code 128, Code 39, Code 93, GS1 Databar, Interleaved 2 of 5, Korean 3 of 5, MSI Plessey, UPC/EAN
Degree of protection (IP)	IP65/IP67
Communication port(s)	Serial RS-232C, USB
Supply voltage DC	4.5-5.5 V
Code marking type	Direct part marking
Housing type	Ruggedised
Connection type	Wireless

## Fits to



### 12-9000937-01

Cradle / Charger, HDS-3678, V450-H



### 12-9000943-01










Cable, USB, Shielded, 4.6 m, Ext. 12 V, HDS-3600/V450-H \*\*\* Power Supply Required \*\*\*




### 12-9000947-01

Cable, USB, Shielded, 4.6 m, HDS-3600/V450-H

# Accessories

	<b>12-9000937-01</b>	Cradle / Charger, HDS-3678, V450-H
	<b>12-9000942-01</b>	Cable, USB, Shielded, 2 m, Ext. 12 V, HDS-3600 / V450-H *** Power Supply Required ***
	<b>12-9000943-01</b>	Cable, USB, Shielded, 4.6 m, Ext. 12 V, HDS-3600/V450-H *** Power Supply Required ***
	<b>12-9000946-01</b>	Cable, USB, Shielded, 2 m, HDS-3600/V450-H
	<b>12-9000947-01</b>	Cable, USB, Shielded, 4.6 m, HDS-3600/V450-H
	<b>12-9000953-01</b>	Cable, RS-232, DB9 female, 2 m, straight, HDS-3600 / V450-H
	<b>98-9000181-01</b>	Kit, Power supply for cradle / charger, HDS-3678/V450-H, AC Power Cord Required
	<b>98-9000186-01</b>	Stand, Intelligent, HS-360X, V450-H
	<b>98-9000224-01</b>	Battery, HDS-3678, V450-H
	<b>V450-AK0</b>	Cradle, charger, sealed, V450-H / HS-360X

## CAD Library



### Code Reader Technical Manual

EN PDF 1.08 MB



### EAC Mark removal Discontinuation Notice

EN PDF 221 KB



### OMRON\_Microscan\_DDU\_Installer\_4.0.0. Software

EN ZIP 40.3 MB



### TWS 82-166537-01 2015 Battery Safety Datasheet

EN PDF 220 KB



### Traceability Solutions Toolbox Software

EN ZIP 6.05 MB



### V410-H and V450-H Handheld Barcode Reader

Users Manual

EN PDF 21.2 MB



### V450-H Handheld Reader Datasheet

EN PDF 2.14 MB




### V450-H Quick Start Guide Wired Practice Guide

EN PDF 5.65 MB



### V450-H Quick Start Guide Wireless Practice Guide

EN PDF 5.4 MB



### WebLinkPC 3.0.0.3004 Software

EN ZIP 168 MB