








## A2W-TB-WC1 EU2AB

Wireless Full guard button, dia. 34.4 mm, EU frequency 868.3 MHz, Button/flange colors blue-black

# Specifications

Application	Wireless Pushbutton switch
Area	Europe (EU)
Bezel material	Plastic
Color	Blue
Bezel color	Black
Frequency	868.3 MHz
Profile	Full guard
Reset method	Momentary
Shape	Round
Size	34 mm
Suitable for illumination	✓

# Accessories

	<b>A2W-AT2.5-WC1</b>	High-sensitivity magnetic-base antenna, all frequencies supported, cable length 2.5 m
	<b>A2W-H-WC1</b>	Slave button holder
	<b>A2W-RBN-WC1 EU</b>	Master unit receiver, EU frequency 868.3 MHz, 8 NPN transistor outputs, 24 VDC
	<b>A2W-RBP-WC1 EU</b>	Master unit receiver, EU frequency 868.3 MHz, 8 PNP transistor outputs, 24 VDC
	<b>A2W-S-WC1</b>	Slave button strap

## CAD Library



### A2W Users Manual

EN PDF 2.07 MB



### A2W for EU Brochure

EN PDF 4.47 MB



### A2W for EU Datasheet

EN PDF 3.99 MB



### EAC Mark removal Discontinuation Notice

EN PDF 221 KB



### Wireless Switch Support Tool Software

EN ZIP 74.5 MB