



PRODUCT-DETAILS

OFAA000GG32

OFAA000GG32 HRC FUSE LINK



General Information	
Extended Product Type	OFAA000GG32
Product ID	1SCA022661R8920
EAN	6417019213217
Catalog Description	OFAA000GG32 HRC FUSE LINK
Long Description	Fuselink, rated current 32A, size NH000, rated voltage 690VAC / 250VDC, utilization category gG, rated breaking capacity 80 kA (AC) / 80 (kA DC)

ABB EcoSolutions	
Environmental Information	1SCC317009D0201

Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	1SCC011021D0201

RoHS Declaration	1SCC011020D0201
RoHS Information	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Popular Downloads

Data Sheet, Technical Information	1SCC317001C0201
Instructions and Manuals	No Instructions and Manuals needed

Environmental

Environmental Information	1SCC317009D0201
---------------------------	-----------------

Ordering

Minimum Order Quantity	3 piece
Customs Tariff Number	85361050
Country or Territory of Origin	Hungary

Dimensions

Product Net Width	85 mm
Product Net Height	70 mm
Product Net Depth / Length	60 mm
Product Net Weight	0.12 kg

Container Information

Package Level 1 Units	bag 3 piece
Package Level 1 Width	70 mm
Package Level 1 Depth / Length	85 mm
Package Level 1 Height	60 mm
Package Level 1 Gross Weight	1.134 kg
Package Level 1 EAN	6417019213217

Technical

Fuse Size	NH000
Fuse System	DIN
Fuse Type	gG
Power Loss	at Rated Current 3.1 W
Rated Current (I_n)	32 A
Rated Voltage (U_r)	690 V
Standards	IEC 60269
Utilization Category	gL/gG (Cable protection/equipment protection)

Certificates and Declarations

Declaration of Conformity - CE	1SCC317005D2706
--------------------------------	-----------------

External Classifications and Standards

ETIM 9	EC000055 - Knife blade fuse
ETIM 10	EC000055 - Knife blade fuse
UNSPSC	39120000
eClass	V11.1 : 27142005
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
E-Number (Finland)	3109932

Categories

Low Voltage Products and Systems → Fusegear → Fuse Links

