

Product datasheet

Specifications



19" fixed chassis 17U for PLA enclosure H1000xW750mm

Local distributor code:

403418354

NSYBRF17PLAG

EAN Code: 3606485405506

Main

Range	PanelSeT
Accessory / separate part category	Mounting accessory
Product or component type	19" rack
Application	Multi-purpose
For enclosure nominal dimensions	-
Rack type	Fixed
Mounting location	Front of enclosure
Range compatibility	PanelSeT PLA
Device composition	fixing elements 2 19" uprights
Quantity per set	Set of 1
Number of units 19"	17

Complementary

Material	Sheet steel
Surface finish	Epoxy-polyester powder
Lock type	Lock 5 mm double bar
fixing mode	By fixing element
Colour	Grey (RAL 7035)
Permanent permissible load	3 kg per unit
Height	Nominal: 1000 mm
thickness	2 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.000 cm
Package 1 Width	11.500 cm
Package 1 Length	82.500 cm
Package 1 Weight	4.694 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	30

Package 2 Height	48.000 cm
Package 2 Width	100.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	153.000 kg

Logistical informations

Country of origin ES

Contractual warranty

Warranty (in months) 18



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

SCIP Number

2afadc3c-d04d-4184-9d1f-3abc2fc1a548

REACH Regulation

[REACH Declaration](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

No

Image of product in real life situation

