

Product datasheet

Specifications



Cylindrical barrel - 405E keylock

Local distributor code:

385514842

NSYIN405E1

EAN Code: 3606480064753

Main

Range	PanelSeT
Accessory / separate part category	Locking accessory
Product or component type	Cylindrical barrel
Application	Multi-purpose
Mounting support	Handle
Product compatibility	SF, SM, SD and PLA enclosures
Range compatibility	PanelSeT SF PanelSeT SM PanelSeT SD PanelSeT PLA
Device composition	1 cylindrical barrel 2 key

Complementary

Quantity per set	Set of 1
Type of keylock	Cylindrical
Key number	405E

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.500 cm
Package 1 Width	6.000 cm
Package 1 Length	8.000 cm
Package 1 Weight	61.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	100
Package 2 Height	20.000 cm
Package 2 Width	24.000 cm
Package 2 Length	36.000 cm
Package 2 Weight	6.644 kg

Logistical informations

Country of origin	CN
-------------------	----

Contractual warranty

Warranty (in months)

18



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0.4 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile
Carbon footprint of the manufacturing phase [A1 to A3]	0.3 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.1 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	52da316e-d4e1-4114-85c0-32a03b2934fd
REACH Regulation	REACH Declaration

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	98
End of life manual availability	No need of specific recycling operations
Take-back	No