

# Product datasheet

Specifications



## Vertical coupling kit for PLA ip55 COUPLING

Local distributor code:

398325950

NSYUVPLA

EAN Code: 3606480193125

### Main

Range	PanelSeT
Accessory / separate part category	Coupling accessory
Product or component type	Coupling kit
Anwendung	Multi-purpose
Mounting location	Vertical coupling of 2 enclosures
Range compatibility	PanelSeT PLA suitable enclosure
Device composition	1 coupling kit fixing elements adhesive seal

### Complementary

IP degree of protection	IP55
-------------------------	------

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.000 cm
Package 1 Width	20.500 cm
Package 1 Length	20.200 cm
Package 1 Weight	364.000 g

### Logistical informations

Country of origin	ES
-------------------	----

### Contractual warranty

Warranty (in months)	18
----------------------	----

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better



### Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

SCIP Number

1341ad4e-77b9-40e3-bab0-32043fbc5959

REACH Regulation

[REACH Declaration](#)

## Use Longer



### Lifetime extension

Repair

No

## Use Again



### Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

No

Image of product in real life situation

