

Product datasheet

Specifications

FEED UNIT 40A LEFT MOUNTING

Local distributor code:

21470091

KBA40ABG4W



EAN Code: 3606480000263

Main

Range of product	Canalis
Device short name	KBA
Product compatibility	Canalis KBA busbar trunking 25...40 A
Offer type	Classic Control system
Product or component type	Feed unit
Conductors material	Aluminium
[I _e] rated operational current	40 A 25 A
[U _e] rated operational voltage	230...400 V
Number of circuits	1
Busbar trunking polarity	3L + N + PE L + N + PE
Protection type	Without protection
Control type	Communicating
Communication port protocol	DALI
Colour	White (RAL 9003)

Complementary

Provided equipment	End cover
Mounting location	Left
Mounting mode	By screws
Mounting support	Busbar
Connections - terminals	Terminal block - Pg 21 - screw clamp connector for 10 mm ²
Width	300 mm
Depth	75.5 mm
Height	78.5 mm
Net weight	400 g
Standards	IEC 61439-6

Environment

IP degree of protection	IP55 conforming to IEC 60529
-------------------------	------------------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.500 cm
Package 1 Width	7.500 cm
Package 1 Length	37.000 cm
Package 1 Weight	440.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	15
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	7.104 kg
Unit Type of Package 3	P06
Number of Units in Package 3	120
Package 3 Height	69.000 cm
Package 3 Width	60.000 cm
Package 3 Length	80.000 cm
Package 3 Weight	61.840 kg

Logistical informations

Country of origin	CZ
--------------------------	----

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

[EU RoHS Directive](#)

Compliant

REACH Regulation

[REACH Declaration](#)

Halogen-free status

Halogen free product

PVC free

Yes

Silicone-free

Yes

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back


No

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Dimension Drawings



Technical Illustration

Assembly's dimensions

