

# Product datasheet

Specifications



## Airing grille cut-out diameter 38mm IP45

Local distributor code:  
1916559

NSYCAG38LP

**EAN Code: 3606480151897**

### Main

Range	ClimaSys
Product	ClimaSys CA
Range compatibility	PanelSeT PLA PanelSeT PLM PanelSeT TBS
Product or component type	Plastic ventilation louvre
Accessory / separate part category	Thermal management accessory
Accessory / separate part destination	ClimaSys ventilation system
fixing mode	By screws
Device composition	2 plastic louvre

### Complementary

Material	ASA + PC
Colour	Grey (RAL 7035)
Cut-out dimensions	38 mm
Height	External: 63 mm
Width	External: 63 mm
Depth	Thread : 15 mm
IP degree of protection	IP45

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.500 cm
Package 1 Width	10.000 cm
Package 1 Length	11.000 cm
Package 1 Weight	58.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	200
Package 2 Height	40.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	12.282 kg

---

<b>Unit Type of Package 3</b>	P12
<b>Number of Units in Package 3</b>	1600
<b>Package 3 Height</b>	97.000 cm
<b>Package 3 Width</b>	80.000 cm
<b>Package 3 Length</b>	120.000 cm
<b>Package 3 Weight</b>	111.000 kg

---

## Logistical informations

---

Country of origin FR

## Contractual warranty

---

Warranty (in months) 18



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better



### Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)

## Use Longer



### Lifetime extension

Repair

No

## Use Again



### Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

No

Image of product / Alternate images

Alternative

---

