


Product datasheet

Specifications



VERTICAL PENDANT KIT 400A

Local distributor code:

389360610

KSB400ZFKP1

EAN Code: 3606480006425

Main

Range of product	Canalis
Product name	KS
Product or component type	Pendant bracket
Product compatibility	KS
Fixing device mounting	Under ceiling or I-Beam
Maximum load	80 kg
Quantity per set	Set of 4

Complementary

Accessory / separate part category	Fixing accessory
[Ie] rated operational current	400.0 A
Width	135 mm
Depth	328 mm
Height	1 m
Net weight	2.7 kg

Environment

Standards	IEC 60439-2 IEC 61439-6
-----------	----------------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	35.600 cm
Package 1 Width	3.000 cm
Package 1 Length	18.300 cm
Package 1 Weight	1.380 kg
Unit Type of Package 2	BB1
Number of Units in Package 2	4
Package 2 Height	15.000 cm
Package 2 Width	19.400 cm
Package 2 Length	106.000 cm
Package 2 Weight	10.590 kg

Unit Type of Package 3	P12
Number of Units in Package 3	64
Package 3 Height	74.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	192.000 kg

Logistical informations

Country of origin SE

Contractual warranty

Warranty (in months) 18



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

[EU RoHS Directive](#)

Compliant

REACH Regulation

[REACH Declaration](#)

Halogen-free status

Halogen free product

PVC free

Yes

Silicone-free

Yes

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

No

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins