




---

 PRODUCT-DETAILS

## E 9F10 GG32

### E 9F10 GG32 Fuse link




---

#### General Information

Extended Product Type	E 9F10 GG32
Product ID	2CSM258713R1801
EAN	8012542587132
Catalog Description	E 9F10 GG32 Fuse link
Long Description	E 9F10 GG32 is a 10,3x38 mm cylindrical fuse for circuit protection

---

#### Technical

Fuse Type	gG
Release Type	gG: Used in general protection of cables and lines in installation and industrial applications
Construction Material	Ceramic
Fuse Size	10x38
Contact Material	copper silver plated (Cu/Ag)

---

#### Electrical

Rated Voltage (U <sub>r</sub> )	400 V AC
Rated Current (I <sub>n</sub> )	32 A
Maximum Breaking Capacity	120 kA
Power Loss	Total 2.8 W at Rated Operating Conditions per Pole 2.8 W
I <sup>2</sup> t Characteristic	9AKK108466A9087

## Material Compliance

RoHS Declaration	9AKK106713A5625
RoHS Information	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20140127
REACH Declaration	9AKK108467A9482
REACH Information	True - contains substances > 0.1 mass percentage
REACH Date	20240429
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

## Environmental

Environmental Information	See RoHS Information
---------------------------	----------------------

## Dimensions

Product Net Width	1 mm
Product Net Height	4 mm
Product Net Depth / Length	1 mm
Product Net Weight	7 g
Dimension Diagram	9AKK108466A8532

## Ordering

Package Level 1 Units	box 10 piece
Package Level 1 Gross Weight	0.075 kg
E-Number (Norway)	1655021

## Certificates and Declarations

Cut-off Current Characteristic	9AKK108466A9067
Declaration of Conformity - CE	9AKK106713A5625

## Installation

Instructions and	No document needed
------------------	--------------------

Manuals

**Popular Downloads**

Data Sheet, Technical Information	9AKK107991A8329
Cut-off Current Characteristic	9AKK108466A9067
I <sup>2</sup> t Characteristic	9AKK108466A9087
Time-Current Characteristic Curve	9AKK108467A0144

**External Classifications and Standards**

ETIM 9	EC002704 - Cylindrical fuse
ETIM 10	EC002704 - Cylindrical fuse
UNSPSC	39121606
eClass	V11.0 : 27142002
Object Classification Code	F
Standards	IEC 60269-2

**Categories**

Low Voltage Products and Systems → Modular DIN Rail Products → Protection and Safety Devices → Cylindrical and D0 Fuses

