

CF CRIMPHANDY 0,5 SET - Tool set



1003673

<https://www.phoenixcontact.com/gb/products/1003673>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Set consists of: Crimphandy, including battery, charger, cable cutter, 2x waste guide plate, service tool, ferrule strips, robust case, CRIMPHANDY CUTTER, and a tool case



Product description

Set consists of: Crimphandy 0.5 mm², including battery, charger, CUTFOX 12 cable cutter, waste guide plate 2x, service tool for troubleshooting, and a 0.5 mm² ferrule strip, packed in a robust case. A CRIMPHANDY CUTTER, 0.5 mm² taped ferrules, 100 strips, each with 50 ferrules per strip, and a tool kit are also provided

Your advantages

- Consistently optimum results thanks to automatic monitoring functions
- Unlimited mobile use thanks to battery operation and magazine
- The product innovation for switchgear manufacturing: the Crimphandy. You can strip and crimp your conductors in under two seconds using this portable handheld device. This represents a time saving of 75%.

Commercial data

Item number	1003673
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH3521
Product key	BH3521
GTIN	4055626471563
Weight per piece (including packing)	4,019 g
Weight per piece (excluding packing)	2,170 g
Customs tariff number	84672920
Country of origin	DE

CF CRIMPHANDY 0,5 SET - Tool set



1003673

<https://www.phoenixcontact.com/gb/products/1003673>

Set consists of

CF CRIMPHANDY 0,5 - Automatic stripping and crimping device

1212463

<https://www.phoenixcontact.com/gb/products/1212463>



Mobile automatic stripping and crimping device, service tool, replacement part (waste guide plate), cutting tool (CUTFOX 12), on-tape ferrules

AI 0,5-8 WH-S - Ferrule

1212521

<https://www.phoenixcontact.com/gb/products/1212521>



Ferrule, Length contact range: 8 mm, sleeve length: 14 mm, color: white, number of strips: 20, number of sleeves per strip: 50

CF CRIMPHANDY 0,5 SET - Tool set



1003673

<https://www.phoenixcontact.com/gb/products/1003673>

CF CRIMPHANDY CUTTER - Accessories for tools/automatic devices

1212520

<https://www.phoenixcontact.com/gb/products/1212520>



Cutting unit, for CF CRIMPHANDY, for stranded copper wires from 0.5 mm² ... 1.5 mm², incl. receptacle tray

TOOL-ZIPCASE EMPTY - Toolbag, unequipped

1005050

<https://www.phoenixcontact.com/gb/products/1005050>

Tool box, unequipped



CF CRIMPHANDY 0,5 SET - Tool set

1003673

<https://www.phoenixcontact.com/gb/products/1003673>



CF CRIMPHANDY/CHARGER - Charger

1212519

<https://www.phoenixcontact.com/gb/products/1212519>

Replacement charger, for 100 V ... 240 V AC mains voltage, short charging time, short-circuit-proof, protected against polarity reversal, operating state indicator



CF CRIMPHANDY 0,5/SERVICE-TOOL - Assembly tool

1212787

<https://www.phoenixcontact.com/gb/products/1212787>

Service tool, for CF-CRIMPHANDY 0,5, for rectifying malfunctions



CF CRIMPHANDY 0,5 SET - Tool set



1003673

<https://www.phoenixcontact.com/gb/products/1003673>

Technical data

Product properties

Set comprises	1212515 CF CRIMPHANDY 0,5/GP2
---------------	-------------------------------

Electrical properties

Frequency range	60 Hz
Power consumption	20 W

Supply

Supply voltage range	7.4 V DC
----------------------	----------

Connection data

Stripping length	10.8 mm
Conductor cross-section flexible	0.5 mm ² ... 0.5 mm ²

Dimensions

Width	43 mm
Height	70 mm
Length	205 mm

Material specifications

Color	black (RAL 9005)
-------	------------------

CF CRIMPHANDY 0,5 SET - Tool set



1003673

<https://www.phoenixcontact.com/gb/products/1003673>

Classifications

ECLASS

ECLASS-13.0	17130101
ECLASS-15.0	17130101

ETIM

ETIM 10.0	EC002778
-----------	----------

UNSPSC

UNSPSC 21.0	27111500
-------------	----------

CF CRIMPHANDY 0,5 SET - Tool set



1003673

<https://www.phoenixcontact.com/gb/products/1003673>

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Yes
Exemption	6(c), 7(c)-I

China RoHS

Environment friendly use period (EFUP)	EFUP-25
	An article-related China RoHS declaration table can be found in the download area for the respective article under "Manufacturer declaration". For all articles with EFUP-E, no China RoHS declaration table issued and required.

EU REACH SVHC

REACH candidate substance (CAS No.)	Lead(CAS: 7439-92-1)
SCIP	26d1525e-457a-45e8-9bec-5f4aa747d709

Phoenix Contact 2026 © - all rights reserved

<https://www.phoenixcontact.com>

PHOENIX CONTACT Ltd
Halesfield 13, Telford
Shropshire, TF7 4PG
01952 681700
info@phoenixcontact.co.uk