

Product datasheet

Specifications



Safety coded bus base - 24V DC - internal I/O - red - quantity 1

TM5ACBM3FS

EAN Code: 3595864128191

Main

| | |
|------------------------------------|---------------------------|
| Range of product | Modicon TM5 |
| Accessory / separate part type | Bus base |
| Accessory / separate part category | Communication accessories |
| Product compatibility | TM5 safety I/O modules |
| Sale per indivisible quantity | 1 |

Complementary

| | |
|---------------------------|--------------------------------|
| Range compatibility | Modicon M258 Modicon LMC058 |
| Colour | Red |
| [Us] rated supply voltage | 24 V DC |
| Power consumption in W | 0.13 W |

Environment

| | |
|---------------------------------------|---|
| Product certifications | CE cULus |
| IP degree of protection | IP20 |
| Ambient air temperature for operation | 0...55 °C horizontal 0...50 °C vertical |
| Ambient air temperature for storage | -25...70 °C |
| Relative humidity | 5...95 % without condensation or dripping water |
| Operating altitude | 0...2000 m |

Packing Units

| | |
|------------------------------|-----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 3.000 cm |
| Package 1 Width | 6.000 cm |
| Package 1 Length | 11.000 cm |
| Package 1 Weight | 58.000 g |
| Unit Type of Package 2 | S02 |
| Number of Units in Package 2 | 50 |
| Package 2 Height | 15.000 cm |

| | |
|------------------|-----------|
| Package 2 Width | 30.000 cm |
| Package 2 Length | 40.000 cm |
| Package 2 Weight | 3.257 kg |

Logistical informations

| | |
|-------------------|----|
| Country of origin | AT |
|-------------------|----|

Contractual warranty

| | |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

| | |
|--|---|
| Total lifecycle Carbon footprint | 8 kg CO2 eq. |
| Environmental Disclosure | Product Environmental Profile |
| Carbon footprint of the manufacturing phase [A1 to A3] | 1 kg CO2 eq. |
| Carbon footprint of the distribution phase [A4] | 0 kg CO2 eq. |
| Carbon footprint of the installation phase [A5] | 0 kg CO2 eq. |
| Carbon footprint of the use phase [B2, B3, B4, B6] | 6 kg CO2 eq. |
| Carbon footprint of the end-of-life phase [C1 to C4] | 0.1 kg CO2 eq. |

Use Better



Materials and Substances

| | |
|--|--|
| Packaging made with recycled cardboard | No |
| Packaging without single use plastic | Yes |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| REACH Regulation | REACH Declaration |
| PVC free | Yes |

Use Longer



Lifetime extension

| | |
|--------|----|
| Repair | No |
|--------|----|

Use Again



Repack and remanufacture

| | |
|---------------------------------|---|
| Recyclability potential, in % | 0 |
| End of life manual availability | End of Life Information |
| Take-back | No |