

# Product datasheet

Specifications

"One double-profile mounting rail 35 x 15 2m for all enclosures supply: 20"



NSYDPR200T

⚠ Discontinued on: 9 Feb 2023

⚠ Discontinued

EAN Code: 3606480467752

## Main

Anwendung	Multi-purpose
Range	PanelSeT
Product or component type	Rail
Accessory / separate part category	Mounting accessory
Type of rail	Double-profile DIN
Enclosure nominal dimensions	-
Range compatibility	PanelSeT
Device composition	1 rail
Quantity per set	Set of 20

## Complementary

Material	Galvanised steel
Surface finish	Perforated
Fixing mode	By fixing element - structure of enclosure location
Adjustment	Pitch 25 mm Continuous adjustment
Length	2000 mm
Height	Nominal: 15 mm
Width	Nominal: 35 mm
thickness	1 mm

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.000 cm
Package 1 Width	0.800 cm
Package 1 Length	200.500 cm
Package 1 Weight	1.094 kg
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	4.000 cm

Package 2 Width	8.000 cm
Package 2 Length	200.500 cm
Package 2 Weight	10.948 kg
Unit Type of Package 3	PAL
Number of Units in Package 3	720
Package 3 Height	80.000 cm
Package 3 Width	205.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	812.000 kg

## Logistical informations

Country of origin	IT
-------------------	----

## Contractual warranty

Warranty (in months)	18
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	7 kg CO2 eq.
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Carbon footprint of the manufacturing phase [A1 to A3]	4 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.2 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.2 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	2 kg CO2 eq.

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	<a href="#">REACH Declaration</a>

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

Recyclability potential, in %	98
End of life manual availability	No need of specific recycling operations
Take-back	No