



## E3JK-RR11 2M

Photoelectric sensor, square body, red LED, retro-reflective, non-polarized, 7m, AC/DC, relay, L-ON/D-ON selectable, 2m cable

# Specifications

<b>Shape</b>	Cuboid
<b>Sensing method</b>	Retro-reflective
<b>Sensing distance</b>	11000 mm
<b>Sensing distance (min.)</b>	100 mm
<b>Setting method</b>	Manual adjustment
<b>Connection method</b>	Cable
<b>Cable length</b>	2 m
<b>Output type</b>	Relay
<b>Operation mode</b>	Dark-ON, Light-ON
<b>Response time</b>	20 ms
<b>Material housing</b>	ABS
<b>Thread size</b>	Other
<b>Product Width (unpacked)</b>	18 mm
<b>Product Height (unpacked)</b>	52 mm
<b>Product Depth (unpacked)</b>	50 mm
<b>Type of light</b>	Polarity free red light
<b>Power supply voltage</b>	24-240 V
<b>Features</b>	Without M.S.R.

# Accessories



**E39-L40**

Accessory photosensor E3JK, mounting bracket



**E39-R1S**

Accessory photoelectric sensor, reflector, 40 x 60 x 7.5 mm, ABS & Acrylic



**E39-R2**

Accessory photoelectric sensor, reflector, 80.8x60x7.5 mm, ABS & Acrylic

# Downloads

[CAD Library](#)



**E3JK Built-in Power Supply Photoelectric Sensor**

**Datasheet**

**EN** PDF 6.23 MB



**EAC Mark removal Discontinuation Notice**

**EN** PDF 221 KB