



PYF14S

Socket, DIN rail mounting, 14-pin, screwless terminals

Specifications

Applicable product family	MY2K, MY4, MY4-GS
Mounting method	DIN rail
Terminal type	Screwless clamp
Product Width (unpacked)	31 mm
Product Height (unpacked)	85 mm
Product Depth (unpacked)	36.5 mm
Color	Beige
Hold down clip included	×
Release Lever included	×
Hold down clip for relay with CR circuit	Hold down clip cannot be used

Fits to



MY4-GS-R AC110/120

Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 100/110 VAC



MY4-GS-R AC12

Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 12 VAC



MY4-GS-R AC220/240

Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 220/240 VAC



MY4-GS-R AC24

Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 24 VAC

**MY4-GS-R AC48**

Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 48 VAC

**MY4-GS-R DC12**

Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 12 VDC

**MY4-GS-R DC24**

Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 24 VDC

**MY4-GS-R DC48**

Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical indicator, 48 VDC

**MY4H 110/120VAC**

Relay, plug-in, 14-pin, 4PDT, 3 A, hermetically-sealed

**MY4H 12VDC**

Relay, plug-in, 14-pin, 4PDT, 3 A, hermetically-sealed

**MY4H 24VAC**

Hermetically-sealed relay, plug-in, 14-pin, 4PDT, 3 A, 24 VAC

**MY4H 24VDC**

Relay, plug-in, 14-pin, 4PDT, 1 A, hermetically-sealed

**MY4IN-CR-GS-R AC110/120**

Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, Coil Surge Absorption, lockable push test button. 110/120 VAC

**MY4IN-CR-GS-R AC220/240**

Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, Coil Surge Absorption, lockable push test button. 220/240 VAC

**MY4IN-D2-GS-R DC24**

Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, Coil Surge Absorption, lockable push test button, 24 VDC

**MY4IN-GS-R AC110/120**

Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 110/120 VAC.

**MY4IN-GS-R AC220/240**

Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 220/240 VAC

**MY4IN-GS-R AC24**

Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 24 VAC

**MY4IN-GS-R DC100/110**

Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 100/110 VDC

**MY4IN-GS-R DC12**

Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 12 VDC



MY4IN-GS-R DC24
Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 24 VDC



MY4IN-GS-R DC48
Relay, plug-in, 14-pin, 4PDT, 6 A, mechanical & LED indicators, lockable push test button, 48 VDC



MY4Z 110/120VAC (S)
Relay, plug-in, 14-pin, bifurcated contacts, 4PDT, 5 A, mech indicator, label facility, 100/120 VAC



MY4Z 220/240VAC (S)
Relay, plug-in, 14-pin, bifurcated contacts, 4PDT, 5 A, mech indicator, label facility, 220/240 VAC



MY4Z 24VDC (S)
Relay, plug-in, 14-pin, bifurcated contacts, 4PDT, 5 A, mech indicator, label facility, 24 VDC



MY4ZH 100/110VAC
Hermetically-sealed relay, plug-in, 14-pin, 4PDT, 3 A, bifurcated contacts, 110 VAC



MY4ZH 24VDC
Hermetically-sealed relay, plug-in, 14-pin, 4PDT, 3 A, bifurcated contacts



MY4ZIN 220/240VAC (S)
Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, test button, 220/240 VDC



MY4ZIN 24VAC (S)
Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, test button, 24 VAC



MY4ZIN 24VDC (S)
Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, test button, 24 VDC



MY4ZIN-D2 24VDC (S)
Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5 A, mech & LED indicators, coil suppressor, lockable push to test button, label facility, 24 VDC



MY4ZN 110/120VAC (S)
Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5 A, mech & LED indicators, label facility, 110/120 VAC



MY4ZN 220/240VAC (S)
Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, 220/240 VAC



MY4ZN 24VAC (S)
Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, 24 VAC



MY4ZN 24VDC (S)
Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5 A, mech & LED indicators, label facility, 24 VDC



MY4ZN 48/50VAC (S)
Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, 48/50 VAC



**MY4ZN-CR
110/120VAC (S)**

Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, RC circuit, 110/120 VAC



**MY4ZN-CR
220/240VAC (S)**

Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, RC circuit, 220/240 VAC



**MY4ZN-D2
100/110VDC (S)**

Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5 A, mech & LED indicators, coil suppressor label facility, 100/110 VDC



MY4ZN-D2 24VDC (S)

Relay, plug-in, 14-pin, 4PDT, bifurcated contacts, 5 A, mech & LED indicators, coil suppressor label facility, 24 VDC



MY4ZN-D2 48VDC (S)

Relay, plug-in, 4PDT (bifurcated), 3 A, mech. + LED indicator, diode, 48 VDC



MY4ZN1-D2 24VDC (S)

Relay, plug-in, 4PDT (bifurcated), reverse coil polarity, 3 A, mech. + LED indicator, diode, 24 VDC



MYQ4 110/120VAC

Relay, plug-in, 14-pin, 4PDT, 1 A, plastic sealed model, 110/120 VAC



MYQ4 220/240VAC

Relay, plug-in, 14-pin, 4PDT, 1 A, plastic sealed model, 220/240 VAC



MYQ4 24VDC

Relay, plug-in, 14-pin, 4PDT, 1 A, plastic sealed model, 24 VDC



MYQ4N 110/120VAC

Relay, plug-in, 14-pin, 4PDT, 1 A, plastic sealed model, with indicator, 110/120 VAC



MYQ4N 220/240VAC

Plastic sealed relay, plug-in, 14-pin, 4PDT, 1 A, with LED, 220/240 VAC



MYQ4N 24VAC

Plastic sealed relay, plug-in, 14-pin, 4PDT, 1 A, with LED, 24 VAC



MYQ4N 24VDC

Relay, plug-in, 14-pin, 4PDT, 1 A, plastic sealed model, with indicator, 24 VDC



MYQ4Z 200/220VAC

Plastic sealed relay, plug-in, 14-pin, 4PDT, 1 A, bifurcated contacts



PYCM-14S

Clip and release lever for PYF14S socket

PYDM-14SB

Link terminal bar (pack of 50)

PYDM-14SR (50)

Cross bar AC type

CAD Library



G3F/G3FD Solid State Relays

Datasheet

EN PDF 1.33 MB



H3Y-series Solid-state Timers

Datasheet

EN PDF 6.64 MB



MY Miniature Power Relays - MY/MYK/MYQ/MYH

Datasheet

EN PDF 19.3 MB



MY(S) Miniature Power Relays

Datasheet

EN PDF 9.24 MB



MY-GS

Datasheet

EN PDF 4.15 MB



PYC-0 Relay Sockets

Datasheet

EN PDF 207 KB



PYC-35-B Relay Sockets

Datasheet

EN PDF 209 KB



PYC-TR1 Relay Sockets

Datasheet

EN PDF 198 KB



PYF-__-PU/PTF-__-PU/P2RF-__-PU Sockets with Push-In Plus technology

Datasheet

EN PDF 2.59 MB



PYF14-ESN-B Relay Sockets

Datasheet

EN PDF 620 KB