

Product datasheet

Specifications



"Earth braids section 50mm²,
length 200mm, eyelet hole 6,4mm.
Packaging unit: 10."

Local distributor code:

398246945

NSYEB2050D8

EAN Code: 3606480064074

Main

Range	PanelSeT
Anwendung	Multi-purpose
Product or component type	Earthing braid
Device composition	1 braid
Quantity per set	Set of 10

Complementary

Material	Tinned copper
Fixing mode	Nut and washer - on earth connection location
Length	200 mm
Width	33 mm
Nominal cross section	50 mm ²
Diameter	8.5 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	2.000 cm
Package 1 Length	20.000 cm
Package 1 Weight	174.000 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	3.000 cm
Package 2 Width	8.500 cm
Package 2 Length	24.500 cm
Package 2 Weight	1.744 kg
Unit Type of Package 3	PAM
Number of Units in Package 3	1000
Package 3 Height	45.000 cm
Package 3 Width	100.000 cm
Package 3 Length	120.000 cm

Package 3 Weight 520.000 kg

Logistical informations

Country of origin IT

Contractual warranty

Warranty (in months) 18



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	1 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile
Carbon footprint of the manufacturing phase [A1 to A3]	0.8 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.4 kg CO2 eq.

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	98
End of life manual availability	No need of specific recycling operations
Take-back	No