

Product datasheet

Specifications



PLUG-IN BRIDGE, 20POINTS FOR 2,5MM² TERMINAL BLOCKS, RED

Local distributor code:

397164183

NSYTRAL220

EAN Code: 3606480534126

Main

Range	Linergy
Product name	Linergy TR
Product or component type	Plug-in bridge
Device short name	TRA
Accessory / separate part category	Connection accessory
Product compatibility	TRV screw terminal terminal block TRP push-in terminal block TRR spring terminal terminal block TRH IDC terminal block
Number of ways	20 ways

Complementary

Cable cross section	2.5 mm ²
number of connections	3 4 2
Number of measurement input	3 1 4 6 2
Quantity per set	Set of 10
Colour	Red

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.4 cm
Package 1 Width	2.4 cm
Package 1 Length	10.4 cm
Package 1 Weight	17 g
Unit Type of Package 2	BAG
Number of Units in Package 2	10
Package 2 Height	2 cm
Package 2 Width	7 cm
Package 2 Length	15 cm

Package 2 Weight	174 g
Unit Type of Package 3	S02
Number of Units in Package 3	550
Package 3 Height	15 cm
Package 3 Width	30 cm
Package 3 Length	40 cm
Package 3 Weight	9.917 kg

Logistical informations

Country of origin	DE
-------------------	----

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
Halogen-free status	Halogen free plastic parts product
PVC free	Yes
Silicone-free	Yes

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Take-back	No
-----------	----