

Product datasheet

Specifications



Power supply REG, 24 V DC / 0.4 A, light grey

Local distributor code:

395965313

MTN693003

EAN Code: 3606485012452

Main

Range of product	SpaceLogic KNX
Product or component type	Power supply
Bus type	KNX
Network type	DC
Colour tint	Light grey
Range	SpaceLogic KNX

Complementary

Condition of use	Other device KNX device
Function of module	With output voltage stabilized
Mounting support	DIN rail
Rated operational power in W	9.6 W
Output current	0.4 A
Output voltage	24 V
Connections - terminals	Screw terminals
Height	68.1 mm
Width	17.5 mm
Depth	68.1 mm
Main colour tint	Light grey

Environment

IP degree of protection	IP20
-------------------------	------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.700 cm
Package 1 Width	8.400 cm
Package 1 Length	10.700 cm
Package 1 Weight	104.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	35

Package 2 Height	20.100 cm
Package 2 Width	30.700 cm
Package 2 Length	40.500 cm
Package 2 Weight	4.066 kg

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	10 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	1 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.2 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	8 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.2 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	E8633433-f0bd-4c71-9f86-14eae4e071b8
Halogen-free status	Halogen free product
PVC free	Yes

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	0
End of life manual availability	End of Life Information
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins