

# Product datasheet

Specifications



Double socket-outlet, EVlink Pro AC and Pro AC Metal, 1-phase T2 with shutters, domestic 1-phase TE

EVP1SS51

EAN Code: 3606482213319

## Main

|                           |  |
|---------------------------|--|
| Range                     | EVlink   |
| Product or component type | Double socket-outlet   |
| Socket-outlet type        | T2 with shutter<br>TE  |
| Provided equipment        | TE socket-outlet to be ordered separately                                |
| Poles description         | 1P + N   |
| [Us] rated supply voltage | 380...415 V AC   |
| Maximum supply current    | 32 A   |
| Range compatibility       | EVlink EVlink Pro AC EVB3 charging station<br>EVlink EVlink Pro AC Metal |

## Complementary

|          |           |
|----------|-----------|
| Material | Plastic   |
| Height   | 234.45 mm |
| Width    | 194.92 mm |
| Depth    | 110 mm    |

## Environment

|                                       |                              |
|---------------------------------------|------------------------------|
| IP degree of protection               | IP55 conforming to IEC 60529 |
| IK degree of protection               | IK10 conforming to IEC 62262 |
| Ambient air temperature for operation | -30...50 °C                  |
| Ambient air temperature for storage   | -40...80 °C                  |

## Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Height             | 11.200 cm |
| Package 1 Width              | 22.000 cm |
| Package 1 Length             | 26.600 cm |
| Package 1 Weight             | 1.070 kg  |
| Unit Type of Package 2       | S04       |
| Number of Units in Package 2 | 6         |
| Package 2 Height             | 30.000 cm |

---

|                         |           |
|-------------------------|-----------|
| <b>Package 2 Width</b>  | 40.000 cm |
| <b>Package 2 Length</b> | 60.000 cm |
| <b>Package 2 Weight</b> | 6.988 kg  |

---



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

|  |   |
|--|---|
| Total lifecycle Carbon footprint                       | 0.8 kg CO2 eq.                                |
| Carbon footprint of the manufacturing phase [A1 to A3] | 0.3 kg CO2 eq.                                |
| Carbon footprint of the distribution phase [A4]        | 0 kg CO2 eq.                                  |
| Carbon footprint of the installation phase [A5]        | 0 kg CO2 eq.                                  |
| Carbon footprint of the use phase [B2, B3, B4, B6]     | 0.4 kg CO2 eq.                                |
| Carbon footprint of the end-of-life phase [C1 to C4]   | 0 kg CO2 eq.                                  |
| Environmental Disclosure                               | <a href="#">Product Environmental Profile</a> |

## Use Better



### Materials and Substances

|  |                                      |
|--|--------------------------------------|
| Packaging made with recycled cardboard | No                                   |
| Packaging without single use plastic   | No                                   |
| SCIP Number                            | 0a787687-ca4b-4982-8684-548a3b52ac76 |

## Use Longer



### Lifetime extension

|        |    |
|--------|----|
| Repair | No |
|--------|----|

## Use Again



### Repack and remanufacture

|                                 |   |
|---------------------------------|---|
| Recyclability potential, in %   | 22  |
| End of life manual availability | <a href="#">End of Life Information</a>   |
| Removable battery               | No  |
| Take-back                       | No  |
| WEEE Label                      |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |