



PRODUCT-DETAILS

HSHR2000-4

HTSHK HVYWALL 6:1 RATIO 2IN I.D.



General Information	
Extended Product Type:	HSHR2000-4
Product ID:	7TAA017120R0002
Catalog Description:	HTSHK HVYWALL 6:1 RATIO 2IN I.D.
Long Description:	Heavy-Wall Heat-Shrinkable Tubing for Cable Range , Expanded Diameter 2, Length 48 inch, rated for 600 Volt, 90 degrees continuous use, Material: Cross-linked polyolefin with thermoplastic adhesive liner, Black
Display Name:	HSHR2000-4

Ordering	
UPC:	786210247472
Country or Territory of Origin:	Canada
Selling Unit of Measure:	each

Dimensions	
Product Net Depth / Length:	48 in

Container Information

Package Level 1 Units:	25 EA
Package Level 1 Width:	1244.6 mm 49 in
Package Level 1 Height:	482.6 mm 19 in
Package Level 1 Depth / Length:	152.4 mm 6 in

Additional Information

Brand / Label:	Shrink-Kon
Color:	Black
Effective Date:	19990303
Product Type:	Heavy-Wall Heat Shrinkable Tubing
Shrink Ratio:	6:1
Special Functions:	Accommodates a wide variety of connector shapes and configurations.
Standards:	UL E9809
Voltage Rating:	600 V

Certificates and Declarations

Data Sheet, Technical Information:	HSHR2000-4
------------------------------------	------------

External Classifications and Standards

ETIM 7:	EC000217 - Shrink tubing
ETIM 8:	EC000217 - Shrink tubing
ETIM 9:	EC000217 - Shrink tubing
ETIM 10:	EC000217 - Shrink tubing
UNSPSC:	39121723
IDEA Granular Category Code (IGCC):	5073 >> Heat shrinkable tube

Material Compliance

RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Information:	False - does not contain substances > 0.1 mass percentage
WEEE Category:	Product Not in WEEE Scope

Categories

Products > Low Voltage Products and Systems > Installation Products > Wire Management and Connectivity > Identification & Heat Shrink

