



PRODUCT-DETAILS

OHY125J12

OHY125J12 HANDLE



General Information

Extended Product Type:	OHY125J12
Product ID:	1SCA022381R1720
EAN:	6417019124315
Catalog Description:	OHY125J12 HANDLE
Long Description:	OHY125J12 PISTOL HANDLE
Display Name:	OHY125J12

Material Compliance

Conflict Minerals Reporting Template (CMRT):	9AKK108467A5658
REACH Declaration:	1SCC011021D0201
RoHS Declaration:	1SCC011020D0201
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Popular Downloads

Data Sheet, Technical Information:	1SCC301020C0201
Instructions and Manuals:	1SCC390022M0020
Mechanical Drawings:	1SCC390088F0002 OH_125J_palikka.igs

Environmental

Degree of Protection:	IP65
------------------------------	------

Ordering

Minimum Order Quantity:	1 piece
Customs Tariff Number:	85389099
Country or Territory of Origin:	Estonia

Dimensions

Product Net Width:	158 mm
Product Net Height:	45 mm
Product Net Depth / Length:	66 mm
Product Net Weight:	0.165 kg

Container Information

Package Level 1 Units:	bag 1 piece
Package Level 1 Width:	70 mm
Package Level 1 Depth / Length:	160 mm
Package Level 1 Height:	50 mm
Package Level 1 Gross Weight:	0.17 kg
Package Level 1 EAN:	6417019124315

Technical

Color:	Red-Yellow
Handle Color:	Red / Yellow
Handle Length:	125 mm
Handle Type:	Pistol
Special Functions:	J12

Certificates and Declarations

Declaration of Conformity - CE: 1SCC390030D2704

External Classifications and Standards

Object Classification Code:	N/A
ETIM 9:	EC000229 - Handle for power circuit breaker
ETIM 10:	EC000229 - Handle for power circuit breaker
UNSPSC:	31162801
IDEA Granular Category Code (IGCC):	3038 >> Handles or knobs
eClass:	V11.1 : 27370414
WEEE Category:	Product Not in WEEE Scope
E-Number (Finland):	3601993

Categories

Products > Low Voltage Products and Systems > Switches > DC Switch-Disconnectors

Products > Low Voltage Products and Systems > Switches > Switch Disconnectors

Products > Low Voltage Products and Systems > Switches > Switch Fuses > Accessories for Switch Fuses

