



---

**PRODUCT-DETAILS**

## DX122.0

DX122.0 I/O-module for UMC100 DI  
110/230VAC, supply 24VDC



---

**General Information**

<b>Extended Product Type:</b>	DX122.0
<b>Product ID:</b>	1SAJ622000R0102
<b>EAN:</b>	4013614566240
<b>Catalog Description:</b>	DX122.0 I/O-module for UMC100 DI 110/230VAC, supply 24VDC
<b>Long Description:</b>	DX122 IO-Module for UMC100, 8 DI 110-230 V AC, 4 DO, 1AO, Supply 24 V DC. One digital extension module can be connected at the same time.
<b>Display Name:</b>	DX122.0

---

**Ordering**

<b>Minimum Order Quantity:</b>	1 piece
<b>Customs Tariff Number:</b>	85389091
<b>Product Main Type:</b>	DX1

## Popular Downloads

<b>Data Sheet, Technical Information:</b>	2CDC135032D0204
<b>EPLAN Data:</b>	9AAC159135_EPLAN

## Dimensions

<b>Product Net Width:</b>	45 mm
<b>Product Net Depth / Length:</b>	107 mm
<b>Product Net Height:</b>	85.6 mm
<b>Product Net Weight:</b>	0.241 kg

## Technical

<b>Connecting Capacity:</b>	1x 0.75-2.5 mm <sup>2</sup>
<b>Mounting on DIN Rail:</b>	TH35-15 (35 x 15 mm Mounting Rail) acc. to IEC 60715 TH35-7.5 (35 x 7.5 mm Mounting Rail) acc. to IEC 60715
<b>Power Loss:</b>	Approximately 2 W
<b>Rated Control Supply Voltage (U<sub>s</sub>):</b>	24 V DC
<b>Recommended Screw Driver:</b>	Pozidriv 1
<b>Standards:</b>	CAN/CSA C22.2 No.14 IEC/EN 60947-1 IEC/EN 61131-2 UL 508
<b>Suitable For:</b>	UMC100
<b>Suitable for Product Class:</b>	Universal Motor Controllers
<b>Terminal Type:</b>	Screw Terminals
<b>Tightening Torque:</b>	Auxiliary Circuit 0.22 N·m Control Circuit 0.6 ... 0.8 N·m
<b>Wire Stripping Length:</b>	7 mm

## Technical UL/CSA

<b>Connecting Capacity UL/CSA:</b>	Flexible with Ferrule 1x 18-14 AWG Flexible 1x 18-14 AWG Rigid 1x 20-12 AWG
------------------------------------	---

## Environmental

<b>Degree of Protection:</b>	IP20
------------------------------	------

## Material Compliance

<b>Conflict Minerals Reporting Template (CMRT):</b>	9AKK108467A5658
---	-----------------

<b>REACH Declaration:</b>	1SAA983001-4501
<b>RoHS Declaration:</b>	1SVD981001-4401
<b>RoHS Information:</b>	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
<b>Toxic Substances Control Act - TSCA:</b>	2CMT2023-006538
<b>WEEE B2C / B2B:</b>	Business To Business
<b>WEEE Category:</b>	5. Small Equipment (No External Dimension More Than 50 cm)

---

## Certificates and Declarations

<b>ABS Certificate:</b>	9AKK106930A7739
<b>ATEX Certificate:</b>	Not available
<b>CB Certificate:</b>	1SAA962001-2002
<b>CCC Certificate:</b>	CCC_2012010304541820
<b>cULus Certificate:</b>	cULus_20220318_E48139
<b>Declaration of Conformity - CCC:</b>	'2020980304001299
<b>Declaration of Conformity - CE:</b>	1SVD981084-00
<b>Declaration of Conformity - UKCA:</b>	1SVD981084-10
<b>DNV Certificate:</b>	TAA000015X-revision4
<b>GL Certificate:</b>	1SAA962005-0401

---

## Container Information

<b>Package Level 1 Units:</b>	box 1 piece
<b>Package Level 1 Width:</b>	97 mm
<b>Package Level 1 Depth / Length:</b>	52.5 mm
<b>Package Level 1 Height:</b>	109 mm
<b>Package Level 1 Gross Weight:</b>	0.27 kg
<b>Package Level 1 EAN:</b>	4013614566240

---

## External Classifications and Standards

<b>eClass:</b>	V11.0 : 27370805
<b>E-Number (Norway):</b>	4552561
<b>ETIM 6:</b>	EC002613 - Extension module for motor management device
<b>ETIM 7:</b>	EC002613 - Extension module for motor management device
<b>ETIM 8:</b>	EC002613 - Extension module for motor management device
<b>ETIM 9:</b>	EC002613 - Extension module for motor management device
<b>Object Classification Code:</b>	B

---

## Categories

Products > Low Voltage Products and Systems > Control Products > Motor Controllers > Universal Motor Controllers Accessories

