



 PRODUCT-DETAILS

OFAA1GG100

OFAA1GG100 HRC FUSE LINK



General Information

Extended Product Type:	OFAA1GG100
Product ID:	1SCA022700R9950
EAN:	6417019223827
Catalog Description:	OFAA1GG100 HRC FUSE LINK
Long Description:	Fuselink, rated current 100A, size NH1, rated voltage 690VAC / 400VDC, utilization category gG, rated breaking capacity 80 kA (AC) / 80 (kA DC)
Display Name:	OFAA1GG100

ABB EcoSolutions

Environmental Information:	1SCC317009D0201
----------------------------	-----------------

Material Compliance

Conflict Minerals Reporting Template (CMRT):	9AKK108467A5658
REACH Declaration:	1SCC011021D0201

RoHS Declaration:	1SCC011020D0201
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Popular Downloads

Data Sheet, Technical Information:	1SCC317001C0201
Instructions and Manuals:	No Instructions and Manuals needed

Ordering

Minimum Order Quantity:	3 piece
Customs Tariff Number:	85361090
Country or Territory of Origin:	Hungary

Dimensions

Product Net Width:	30 mm
Product Net Height:	135 mm
Product Net Depth / Length:	65 mm
Product Net Weight:	0.28 kg

Container Information

Package Level 1 Units:	box 3 piece
Package Level 1 Width:	95 mm
Package Level 1 Depth / Length:	140 mm
Package Level 1 Height:	70 mm
Package Level 1 Gross Weight:	0.882 kg
Package Level 1 EAN:	6417019223827

Technical

Fuse Size:	NH1
Fuse System:	DIN
Fuse Type:	gG
Power Loss:	at Rated Current 9.4 W
Rated Current (I_n):	100 A
Rated Voltage (U_r):	690 V
Standards:	IEC 60269
Utilization Category:	gL/gG (Cable protection/equipment protection)

Certificates and Declarations

Declaration of Conformity - CE: 1SCC317005D2706

External Classifications and Standards

Object Classification Code:	F
ETIM 9:	EC000055 - Knife blade fuse
ETIM 10:	EC000055 - Knife blade fuse
UNSPSC:	39121600
eClass:	V11.1 : 27142005
WEEE Category:	5. Small Equipment (No External Dimension More Than 50 cm)
E-Number (Finland):	3123111

Categories

Products > Low Voltage Products and Systems > Fusegear > Fuse Links

