




---

 PRODUCT-DETAILS

## N2285.3 AN

### USB charger Breakout cable with USB A/C Anthracite - Zenit




---

#### General Information

<b>Extended Product Type:</b>	N2285.3 AN
<b>Product ID:</b>	2CLA228530N1801
<b>EAN:</b>	8427238271248
<b>Catalog Description:</b>	USB charger Breakout cable with USB A/C Anthracite - Zenit
<b>Long Description:</b>	<p>Color: Anthracite.          Input voltage: 100 - 240 Vac <math>\pm</math>10%; 50/60 Hz.          Input current (max.): 250 mA.          Output power (max.): 10,5 W.          Output voltage USB-A: 5 Vdc (max. 2,1 A).          Output voltage USB-C: 5 Vdc (max. 2,1 A).          Output voltage USB-A+C: 5 Vdc (total max. 2,1A).          Power consumption in stand-by: <math>\leq</math> 70 mW.          Efficiency: &gt; 83%.          Size: 2 modules.</p>
<b>Display Name:</b>	N2285.3 AN

---

#### Installation

<b>Instructions and Manuals:</b>	2CLX210109N1001
----------------------------------	-----------------

Mounting Type: Module frame

---

---

## Environmental

---

Degree of Protection: IP20

---

---

## Technical

---

Data Sheet, Technical Information: 9AKK107045A9769

---

Number of Outputs: 2

---

Connection Type: Push-In

---

USB Port Type: USB A/C

---

---

## Electrical

---

Operational Voltage: 100 ... 240 V

---

Output Voltage (U<sub>out</sub>): 5 V

---

Output Current Maximum (I<sub>out</sub>): 2100 mA

---

Rated Frequency (f): 50 ... 60 Hz

---

---

## Design

---

Design Range: Zenit

---

Surface Finishing: Decor  
Matt

---

Material: Plastic  
Thermoplastic

---

Color: Anthracite

---

---

## Dimensions

---

Product Net Width: 22 mm

---

Product Net Height: 44 mm

---

Product Net Depth / Length: 44 mm

---

Product Net Weight: 41 g

---

---

## Ordering

---

Replaced Product ID (OLD): 2CLA228500N1803

---

---

## Material Compliance

---

<b>RoHS Declaration:</b>	2CLC0000006904
<b>RoHS Information:</b>	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
<b>REACH Declaration:</b>	2CLC0000002152
<b>REACH Information:</b>	False - does not contain substances > 0.1 mass percentage
<b>REACH Date:</b>	20251231
<b>Conflict Minerals Reporting Template (CMRT):</b>	9AKK108468A3363
<b>WEEE Category:</b>	5. Small Equipment (No External Dimension More Than 50 cm)
<b>WEEE B2C / B2B:</b>	Business To Business

---

## Certificates and Declarations

---

EU Data Act Applicability and Compliance: Not Applicable

---



---

## External Classifications and Standards

---

<b>ETIM 9:</b>	EC002949 - USB power supply
<b>ETIM 10:</b>	EC002949 - USB power supply
<b>UNSPSC:</b>	27111704
<b>IDEA Granular Category Code (IGCC):</b>	2035 >> Sockets

---



---

## Categories

---

Products > Low Voltage Products and Systems > Wiring Accessories - Light Switch Ranges > Cover Plates and Control Elements > Socket Outlets

