



PRODUCT-DETAILS

DC522

Digital input/output module. 16 configurable DI/DO: 24VDC 0.5A. 8 aux. terminals 0 V. 8 aux. terminals 24VDC (DC522)



General Information

Extended Product Type:	DC522
Product ID:	1SAP240600R0001
ABB Type Designation:	DC522
EAN:	4016779655972
Catalog Description:	Digital input/output module. 16 configurable DI/DO: 24VDC 0.5A. 8 aux. terminals 0 V. 8 aux. terminals 24VDC (DC522)
Long Description:	DC522: S500 Digital input/output module. 16 configurable DI/DO: 24VDC 0.5A. 8 aux. terminals 0 V. 8 aux. terminals 24VDC. 2..3 wire.
Display Name:	DC522

Ordering

CN8:	85389091
Invoice Description:	Digital input/output module. 16 configurable DI/DO: 24VDC 0.5A. 8 aux. terminals 0 V. 8 aux. terminals 24VDC (DC522)

Made To Order:	No
Minimum Order Quantity:	1 piece
Order Multiple:	1 piece
Selling Unit of Measure:	piece

Dimensions

Product Net Weight:	0.102 kg
Product Net Depth / Length:	62 mm
Product Net Height:	76 mm
Product Net Width:	67.5 mm
Gross Weight:	0.126 kg
Package Level 1 Depth / Length:	84 mm
Package Level 1 Height:	72 mm
Package Level 1 Width:	71 mm
Package Level 1 Units:	carton 1 piece

Certificates and Declarations

Declaration of Conformity - CE:	3ADR980146
REACH Date:	20241206
REACH Declaration:	3ADR980139
REACH Information:	True - contains substances > 0.1 mass percentage
SCIP:	3057eee4-0247-4304-9e95-58b4d0688cb8 Germany
RoHS Declaration:	3ADR980146
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Technical

Function:	16 configurable DI/DO: 24VDC 0.5A. 8 aux. terminals 0 V. 8 aux. terminals 24VDC
Number of Analog Configurable I/Os:	0
Number of Digital Configurable I/Os:	16
Input Voltage Type:	DC
Input Current:	5 mA
Maximum Input Voltage:	0 ... 30 V
Delay Time (T):	0.1 ... 32 ms
Output:	Transistor
Output Voltage Type:	DC
Output Voltage (U_{out}):	24 V DC
Output Current:	0.5 A
Output Voltage Maximum:	20.4 ... 28.8 V
Degree of Protection:	IP20

