



## S8VK-G24048

Book type power supply, Pro, 240 W, 48VDC, 5A, DIN rail mounting

# Specifications

Type	DIN-rail
Mounting method	DIN rail
Phase	Single
Output voltage	48 V
Power output	240 W
Efficiency	92 %
Rated output current	5 A
Power boost ratio	120 %
Temperature range	-40-70 °C
Terminal type	Screw
Communication port(s)	None
Alarm function	-
Number of output branches	1
Rated supply voltage at AC 50 Hz	100-240 V
Allowable supply voltage AC	85-264 V
Allowable supply voltage DC	90-350 V
Product Width (unpacked)	60 mm
Product Height (unpacked)	125 mm
Product Depth (unpacked)	140 mm

# Related products



**S8V-NF**  
Noise Filter S8V-NF

# Downloads

CAD Library



**Perfect Power Supply Solutions**  
Brochure

EN PDF 1.29 MB



**S8VK-G**  
Instruction Manual

EN PDF 897 KB



**S8VK-G Switch Mode Power Supply**  
Datasheet

EN PDF 7.46 MB



**S8VK-G060-480**  
Eu declaration of conformity

EN PDF 166 KB



**S8VK-S/S8FS-G**  
Brochure

EN PDF 2.4 MB

## TERMS OF WEBSITE USE

This PDF document was created from the European OMRON Industrial Automation website on 12 March, 2026. Click here for [terms of use](#).

**OMRON**

INDUSTRIAL AUTOMATION | INDUSTRIAL.OMRON.EU