







## 61F-LS-CP08-SRB

Floatless level switch, plug-in, high functionality type, adjustable sensitivity, sequential operation, 8 pins, relay output, 24 VAC

# Specifications

Application	Acid chemicals, Alkali chemicals, Distilled water, Liquids with high specific resistance, Liquids with low specific resistance, Salt water
Functions	Conductive level control
Features	Sequential operation
Cable length	4000 m
Installation type	Socket
Terminal type	Plug-in
Size	41 mm
Supply voltage AC	20.4-26.4 V
Output type	Relay
Contact description	SPDT
Body color	Black
Number of inputs for electrodes	3

# Accessories

	<b>BF-1</b>	Electrode holder, 1-pole electrode, standard type (150°C), liquid with low specific resistance
	<b>BF-5</b>	Electrode holder, 5 way, standard type (150°C)
	<b>BS-1</b>	Electrode holder, 1-pol electrode, for high pressure or high temperature applications (250°C), 1.96Mpa
	<b>F03-11 PROTECTIVE COVER FOR BF</b>	Protective cover for electrode holders PS or BF series)



**F03-12**

PS Electrode Holder Mounting Plate



**F03-14 1P SEPARATOR**

Electrode separator, 1 electrode, ceramic, 250 °C max, 15 g



**F03-14 3P SEPARATOR**

Electrode separator, 3 electrodes, ceramic, 250 °C max, 30 g



**F03-14 5P SEPARATOR**

Electrode separator, 5 electrodes, ceramic, 250 °C max, 30 g

**F03-60 SUS316  
ELECTRODE SET**

Set including F03-01 SUS316 electrode, F03-02 SUS316 connecting nuts, F03-03 SUS316 lock nuts

**PH-2 HAIPREN CODE 20M**

Underwater Electrode, Hypalon cable, double pole, 20 m length



**PS-31 SUS304 1000MM**

Electrode set, holder & electrodes, 1 m length, 4 mm diameter, non-extendable



**PS-31 SUS304 300MM**

Electrode set, holder & electrodes, 0.3 m length, 4 mm diameter, non-extendable



**PS-3S**

Electrode holder, 3 way



**PS-4S**

Electrode holder, 4 way



**PS-5S**

Electrode holder, 5 way

# Related products



## PF

PF is the MKS relays family sockets range, also suitable for SSR and monitoring products.

# Downloads

CAD Library



**61F-LS /-WL**  
**Eu declaration of conformity**

EN PDF 76.5 KB



**61F-LS Floatless Level Switch**  
**Datasheet**

EN PDF 3.01 MB



**61F-LS Safety Precautions**  
**Instruction Sheet**

EN PDF 6.75 MB



**Device Selection Guide for Water Level Control Applications**  
**Selection Guide**

EN PDF 2.84 MB

## TERMS OF WEBSITE USE

This PDF document was created from the European OMRON Industrial Automation website on 12 March, 2026. [Click here for terms of use.](#)

**OMRON**

INDUSTRIAL AUTOMATION | INDUSTRIAL.OMRON.EU