



PRODUCT-DETAILS

PS 3/39/25 H CB**PS 3/39/25 H CB Busbar 3Ph., 39Pins, 25qmm**

.....

General Information

Extended Product Type:	PS 3/39/25 H CB
Product ID:	2CDL230508R3925
EAN:	4016779907033
Catalog Description:	PS 3/39/25 H CB Busbar 3Ph., 39Pins, 25qmm
Long Description:	PS 3/39/25 H CB Busbar 3Ph., 39Pins, 25qmm
Display Name:	PS 3/39/25 H CB

Technical

Sub-Function:	Space for auxiliary contact
Sub-Function 2:	cULus
Suitable for Product Class:	MCBs (UL 1077) fuse disconnecter E90
Number of Poles:	39P
Number of Phases:	3-phase
Number of Mountable Devices:	13
Number of Terminals (N_{term}):	39

Accessory Type:	Busbar
Connection Type:	Pin
Options Provided:	HCB
Rated Cross-Section:	25 mm ²

Electrical

Rated Operational Voltage:	690 V AC/DC Maximum 600 V
Rated Short-time Withstand Current Low Voltage (I_{cw}):	10 kA
Rated Uninterrupted Current (I_u):	80 A
Rated Frequency (f):	50 / 60 Hz DC
Overvoltage Category:	III

Design

RAL Number:	RAL 7035 - Light Grey
Color:	grey

Technical UL/CSA

Maximum Continuous Operating Voltage UL/CSA (MCOV):	600 volt AC / DC
--	------------------

Material Compliance

RoHS Declaration:	9AKK108472A0372
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date:	20260312
REACH Declaration:	9AKK107492A1906
REACH Information:	False - does not contain substances > 0.1 mass percentage
REACH Date:	20260312
Conflict Minerals Reporting Template (CMRT):	9AKK108468A3363
Toxic Substances Control Act - TSCA:	9AKK108468A8104
WEEE Category:	4. Large Equipment (Any External Dimension More Than 50 cm)
WEEE B2C / B2B:	Business To Business

Environmental

Pollution Degree:	2
--------------------------	---

Environmental Information: DIN EN 60068

Dimensions

Width in Number of Modular Spacings:	59
Product Net Width:	21 mm
Product Net Height:	37 mm
Product Net Depth / Length:	1005 mm
Product Net Weight:	0.985 kg

Ordering

Package Level 1 Units:	carton 10 piece
Package Level 1 Gross Weight:	10.12 kg

Certificates and Declarations

Declaration of Conformity - CE:	9AKK108469A0843
Declaration of Conformity - UKCA:	9AKK108469A0846

Installation

Instructions and Manuals:	No document needed
Mounting Position:	any

Popular Downloads

Data Sheet, Technical Information:	No document needed
------------------------------------	--------------------

External Classifications and Standards

ETIM 9:	EC000215 - Phase busbar
ETIM 10:	EC000215 - Phase busbar
UNSPSC:	39121117
eClass:	V11.0 : 27371306
IDEA Granular Category Code (IGCC):	4378 >> Phase buss bar
Object Classification Code:	W
Standards:	UL 508 UL 1077 IEC/EN 60947-1

Accessories

Identifier	Description	Qty	Type	Unit Of Measure
2CDL200508R0011	BSK CB	10	BSK CB	piece
2CDL200111R5001	SZ ESK SP	50	SZ-ESK SP	piece
2CDL200508R0003	PS-END 3 CB	50	PS-END 3 CB	piece

Categories

Products > Low Voltage Products and Systems > Modular DIN Rail Products > Miniature Circuit Breakers MCBs > Miniature Circuit Breakers MCBs Accessories > Busbars and Accessories (UL Range)

