




---

 PRODUCT-DETAILS

## ACS355-03E-23A1-4 Solar Pump Drive

LV AC machinery drive module, IEC: Pn 11 kW, 23.1 A (ACS355-03E-23A1-4 Solar Pump Drive)




---

### General Information

<b>Global Commercial Alias:</b>	ACS355-03E-23A1-4 Solar Pump Drive
<b>Product ID:</b>	3AUA0000157196
<b>ABB Type Designation:</b>	ACS355-03E-23A1-4 Solar Pump Drive
<b>EAN:</b>	6438177325093
<b>Catalog Description:</b>	LV AC machinery drive module, IEC: Pn 11 kW, 23.1 A (ACS355-03E-23A1-4 Solar Pump Drive)
<b>Long Description:</b>	<p>The ACS355 drives are designed to meet the requirements of an extensive range of machinery applications in food and beverage, material handling, lifting, textile, printing, rubber and plastics, and woodworking applications.</p> <p>The drive is user-friendly, yet it provides a wide range of built-in technology such as the safe torque off functionality and sequence programming, reducing the need for additional control electronics. The product offers options and diverse functionality to cater to the needs set for speed and torque control of AC induction and permanent magnet motors.</p>
<b>Display Name:</b>	ACS355-03E-23A1-4 Solar Pump Drive

---

### Ordering

<b>Customs Tariff Number:</b>	85044086
<b>HS Code:</b>	850440 -- ELECTRICAL MACHINERY AND EQUIPMENT AND PARTS THEREOF; SOUND RECORDERS AND REPRODUCERS, TELEVISION IMAGE AND SOUND RECORDERS AND REPRODUCERS, AND PARTS AND ACCESSORIES OF SUCH ARTICLES;Electrical transformers, static converters (for example, rectifiers) and inductors;Static converters
<b>Invoice Description:</b>	ACS355-03E-23A1-4 Pn 7,5kW, I2n 23,1A IP20 Solar Pump Drive
<b>Made To Order:</b>	No
<b>Minimum Order Quantity:</b>	1 piece
<b>Order Multiple:</b>	1 piece
<b>Quote Only:</b>	No
<b>Selling Unit of Measure:</b>	piece

## Dimensions

<b>Product Net Weight:</b>	3.6 kg
<b>Product Net Depth / Length:</b>	169 mm
<b>Product Net Height:</b>	236 mm
<b>Product Net Width:</b>	169 mm
<b>Package Level 1 Depth / Length:</b>	344 mm
<b>Package Level 1 Height:</b>	226 mm
<b>Package Level 1 Width:</b>	217 mm
<b>Package Level 1 Units:</b>	1 carton

## Technical

<b>Number of Phases:</b>	3-phase
<b>Degree of Protection:</b>	IP20
<b>Enclosure Type NEMA:</b>	Open Type
<b>Multiple Battery Information:</b>	No battery / cell included
<b>Frequency (f):</b>	50/60 Hz
<b>Frame Size:</b>	R3
<b>Input Voltage (U<sub>in</sub>):</b>	380 ... 480 V
<b>Mounting Type:</b>	Module for cabinet building
<b>Output Current, Normal Use (I<sub>n</sub>):</b>	23.1 A
<b>Output Power, Normal Use (P<sub>n</sub>):</b>	11 kW

## Environmental

<b>WEEE Category:</b>	5. Small Equipment (No External Dimension More Than 50 cm)
-----------------------	--

## External Classifications and Standards

UNSPSC: 39122001

---

---

### Kit Contents

---

Identifier	Qty
3AUA0000150422	1
3AUA0000058192	1

---

---

### Categories

---

Products > Drives > Low Voltage AC Drives > Machinery Drives > ACS355 - Machinery Drive

Parts & Services > Drives > Services > Spares and Consumables > Parts

