



135N2390

VACON0020-3L-0008-4-X+QDSS

VACON0020-3L-0008-4-X +QDSS
 VACON® 20 X
 7,6 AMP, 380 – 480 Vac
 (+DBIN) Brake Chopper, No Keypad
 C2 Commercial&Industry Environ, Frame 02 X
 Other options according to Model code

Model code: VACON0020-3L-0008-4-X+QDSS

Gain the benefits of extended flexibility wherever a decentralized drive solution plays a vital role. Industry-specific fieldbus support and dedicated hardware variants offer great flexibility in any kind of material handling applications. Customizable application software including built-in support for IEC 61131-1 PLC programming makes it the perfect match for machine builders.

In decentralized solutions space is always at a premium. With its robust and compact design, the VACON® 20 X enables straightforward and easy integration into new and existing machinery concepts and eliminates the need for long shielded motor cable, EMC countermeasures and output filters.

PRODUCT DETAILS

Gross weight		4.4 Kilogram
Net weight		3.4 Kilogram
Volume		20.631 Cubic decimeter
EAN		5710108978204
Product View (Switch)	GLBL	Global (Standard)
Product Group	VACON	VACON
Product Series	0020	Vacon 020
Input type	-3L	-3L
Current	-0008	8
Current Description	7,6 AMP	7,6 AMP
Mains Voltage	-4	380 – 480 Vac
Segment	-X	-X
Regional	-R00	International
Customized	+BM25	Vacon0020 product
Brake	+DBIN	(+DBIN) Brake Chopper
SW Package	+F0117	(+F0117)Multipurpose System SW
E Slot Option Board	+SE00	No board
Application	+A0000	(+A0000) No Additional App
Keypad	+HMNO	No Keypad
Additional Equipment A	+QDSS	Main Switch only
Additional Equipment B	+Q000	No add. Equipment B
Terminal Box	+TQGA	Term B CableGland and No Brake
Frequency setting	+LS50	50 Hz
Display Units	+LSSI	Metric Units of Measure
Shipping Package	+GSCB	Standard Packaging Material
EMC level	+EMC2	C2 Commercial&Industry Environ
UL Approval	+GAUL	(+GAUL) UL Approval

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

PRODUCT DETAILS

CE Approval	+GACE	(+GACE) CE Approval
C-tick Approval	+GACT	(+GACT) C-Tick Approval
KC Approval	+GAKC	(+GAKC) KC Approval
Frame Size	MU2	Frame 02 X
Product Catalog	NO_VIEW	NO VIEW
Typocode Part 2		-000000289
Modelcode01		VACON0020-3L-0008-4-X
Modelcode03		+QDSS
Calculated Net Weight [kg]		3.4
Calculated Gross Weight [kg]		3.9
Dimensions WxHxD [mm]	170 X 295 X 154	170 X 295 X 154
Vendor	ERR01	Cannot Determine Vendor
Recommended Factory	ERR01	Cannot Determine Vendor
Recommended Plant	ERR01	ERR01
ECCN US	3A999.a	3A999.a
ECCN EU	Y901	Y901
Typocode Part 1		VA20X-3L-0008-4-X+BM25

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store [↗](#)

Accessories

Image coming soon

141F3568 [↗](#)
QDSH operator panel with
 60S01208

Image coming soon

141F4222 [↗](#)
MC05, MC06 Keypad Wallmounting Kit
 PAN-HMWM-MK02

Image coming soon

141F4277 [↗](#)
OPT-BK-V;AS-interface Fieldbus Option
 OPT-BK-V



181B0326 [↗](#)
OPT-E5-V:PROFIBUS DP with Sub-D9
 OPT-E5-V



181B0327 [↗](#)
OPT-E6-V:CANopen
 OPT-E6-V

For more information, please use this link to visit the product page on Danfoss Product Store [↗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Accessories



181B0492 [🔗](#)
OPT-E9-V:2-port ethernet
OPT-E9-V



181B0586 [🔗](#)
OPT-E7-V:DeviceNet
OPT-E7-V

Image coming soon

181B0761 [🔗](#)
OPT-EC-V:EtherCAT
OPT-EC-V



181B1487 [🔗](#)
OPT-E3-V+DNOT:PROFIBUS DP
OPT-E3-V+DNOT



181B1488 [🔗](#)
OPT-E5-V+DNOT:PROFIBUS DP with Sub-D9
OPT-E5-V+DNOT



181B1489 [🔗](#)
OPT-E6-V+DNOT:CANopen
OPT-E6-V+DNOT

Image coming soon

181B2164 [🔗](#)
OPT-E9-V+DNOT:2-port ethernet
OPT-E9-V+DNOT



181B3287 [🔗](#)
OPT-EA-V:Advanced 2-port ethernet
OPT-EA-V

Image coming soon

181B4089 [🔗](#)
MC06 Text Keypad -X Vacon, VACON-PAN-HMT
VACON-PAN-HMTX-MC06-X

Image coming soon

181B4132 [🔗](#)
OPT-E2-V:RS485 (Modbus/N2)
OPT-E2-V

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.



Accessories

Image
coming
soon

181B4135 [🔗](#)
OPT-E8-V:RS485 with Sub-D9
OPT-E8-V

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.