


Product datasheet

Specifications

FR.PL.V.2NS630



LVS03663

EAN Code: 3606481866271

Main

Range	PrismaSeT
Range of product	PrismaSeT P
Product or component type	Front plate
Accessory / separate part category	Installation accessory
Range compatibility	PrismaSeT PrismaSeT P cubicle
Type of front plate	Cut-out
Installed device	ComPact: fixed NSX400 without earth leakage protection - control: toggle - vertical installation ComPact: fixed NSX400 without earth leakage protection - control: direct front rotary handle - vertical installation ComPact: plug-in NSX400 without earth leakage protection - control: toggle - vertical installation ComPact: fixed NSX400 without earth leakage protection - control: motor mechanism - vertical installation ComPact: plug-in NSX400 without earth leakage protection - control: direct front rotary handle - vertical installation ComPact: plug-in NSX400 without earth leakage protection - control: motor mechanism - vertical installation ComPact: drawout NSX400 without earth leakage protection - control: toggle - vertical installation ComPact: drawout NSX400 without earth leakage protection - control: direct front rotary handle - vertical installation ComPact: drawout NSX400 without earth leakage protection - control: motor mechanism - vertical installation ComPact: fixed NSX630 without earth leakage protection - control: toggle - vertical installation ComPact: fixed NSX630 without earth leakage protection - control: direct front rotary handle - vertical installation ComPact: plug-in NSX630 without earth leakage protection - control: toggle - vertical installation ComPact: fixed NSX630 without earth leakage protection - control: motor mechanism - vertical installation ComPact: plug-in NSX630 without earth leakage protection - control: direct front rotary handle - vertical installation ComPact: plug-in NSX630 without earth leakage protection - control: motor mechanism - vertical installation ComPact: drawout NSX630 without earth leakage protection - control: toggle - vertical installation ComPact: drawout NSX630 without earth leakage protection - control: direct front rotary handle - vertical installation ComPact: drawout NSX630 without earth leakage protection - control: motor mechanism - vertical installation

Poles description	2 x 3P: mounting plate support: NSX400 vertical installation 2 x 4P: mounting plate support: NSX400 vertical installation 2 x 3P: mounting plate support: NSX630 vertical installation 2 x 4P: mounting plate support: NSX630 vertical installation
--------------------------	--

Operating position	Vertical
---------------------------	----------

Complementary

Enclosure/cubicle description	Cubicle - width 650 mm depth 400 mm
--------------------------------------	-------------------------------------

Connection position	Direct connection Linergy FC
Number of vertical modules [50 mm]	7
Standards	IEC 61439-2 IEC 61439-1
Product certifications	ASTA
Material	Steel
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Surface finish	Matt Textured
Colour	White (RAL 9003)
Width	500 mm
Height	350 mm
Product weight	1.22 kg
Quantity per set	Set of 1

functional unit	<p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without fixed toggle vertical 3P 2 direct 11</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without fixed toggle vertical 4P 2 direct 11</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without plug-in toggle vertical 3P 2 direct 11</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without plug-in toggle vertical 4P 2 direct 11</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without fixed direct front rotary handle vertical 3P 2 direct 11</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without fixed direct front rotary handle vertical 4P 2 direct 11</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without fixed motor mechanism vertical 3P 2 direct 11</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without fixed motor mechanism vertical 4P 2 direct 11</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without plug-in direct front rotary handle vertical 3P 2 direct 11</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without plug-in direct front rotary handle vertical 4P 2 direct 11</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without plug-in motor mechanism vertical 3P 2 direct 11</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without plug-in motor mechanism vertical 4P 2 direct 11</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without drawout toggle vertical 3P 2 direct 11</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without drawout toggle vertical 4P 2 direct 11</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without drawout direct front rotary handle vertical 3P 2 direct 11</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without drawout direct front rotary handle vertical 4P 2 direct 11</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without drawout motor mechanism vertical 3P 2 direct 11</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX400 without drawout motor mechanism vertical 4P 2 direct 11</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without fixed toggle vertical 3P 2 direct 13</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without fixed toggle vertical 4P 2 direct 13</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without plug-in toggle vertical 3P 2 direct 13</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without plug-in toggle vertical 4P 2 direct 13</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without fixed direct front rotary handle vertical 3P 2 direct 13</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without fixed direct front rotary handle vertical 4P 2 direct 13</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without fixed motor mechanism vertical 3P 2 direct 13</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without fixed motor mechanism vertical 4P 2 direct 13</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without plug-in direct front rotary handle vertical 3P 2 direct 13</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without plug-in direct front rotary handle vertical 4P 2 direct 13</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without plug-in motor mechanism vertical 3P 2 direct 13</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without plug-in motor mechanism vertical 4P 2 direct 13</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without drawout toggle vertical 3P 2 direct 13</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without drawout toggle vertical 4P 2 direct 13</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without drawout direct front rotary handle vertical 3P 2 direct 13</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without drawout direct front rotary handle vertical 4P 2 direct 13</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without drawout motor mechanism vertical 3P 2 direct 13</p> <p>650 mm 400 mm PrismaSeT P cubicle ComPact NSX630 without drawout motor mechanism vertical 4P 2 direct 13</p>
------------------------	---

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Package 1 Height	3.000 cm
Package 1 Width	36.200 cm
Package 1 Length	51.000 cm
Package 1 Weight	1.224 kg
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	16.500 cm
Package 2 Width	37.500 cm
Package 2 Length	53.000 cm
Package 2 Weight	12.719 kg
Unit Type of Package 3	P12
Number of Units in Package 3	80
Package 3 Height	37.500 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	114.000 kg

Logistical informations

Country of origin	FR
-------------------	----

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

Halogen-free status

Halogen free plastic parts product

PVC free

Yes

Silicone-free

Yes

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

Nej

Technical Illustration

Assembly's dimensions

