


Product datasheet

Specifications



Roof plate, PrismaSeT P, for enclosure W 300mm D 600mm, IP30

LVS08633

EAN Code: 3606481877499

Main

| | |
|---------------------------|--|
| Range | PrismaSeT |
| Range of product | PrismaSeT P |
| Product or component type | Roof |
| Range compatibility | PrismaSeT PrismaSeT P enclosure |
| Device application | Low voltage electrical distribution |
| Enclosure type | Metal enclosure |
| installation description | Cubicle duct - width 300 mm, depth 600 mm |
| Standards | IEC 61439-1 for enclosure IEC 61439-2 for enclosure |
| Product certifications | ASTA |

Complementary

| | |
|------------------------|--|
| Material | Treated sheet steel |
| Protective treatment | Electrophoresis treatment and hot-polymerised polyester epoxy powder |
| Surface finish | Textured Matt |
| Colour | White (RAL 9003) |
| Special colour options | Yes |
| Width | 300 mm |
| Depth | 600 mm |
| Product weight | 2.06 kg |
| Quantity per set | Set of 1 |

Environment

| | |
|-------------------------|--------------------|
| IP degree of protection | IP30 for enclosure |
| IK degree of protection | IK08 |

Packing Units

| | |
|------------------------------|-----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 4.500 cm |
| Package 1 Width | 40.500 cm |
| Package 1 Length | 61.000 cm |

| | |
|------------------------------|------------|
| Package 1 Weight | 2.050 kg |
| Unit Type of Package 2 | PAL |
| Number of Units in Package 2 | 30 |
| Package 2 Height | 47.000 cm |
| Package 2 Width | 81.000 cm |
| Package 2 Length | 122.500 cm |
| Package 2 Weight | 73.500 kg |

Logistical informations

| | |
|-------------------|----|
| Country of origin | FR |
|-------------------|----|

Contractual warranty

| | |
|----------------------|----|
| Warranty (in months) | 18 |
|----------------------|----|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

EU RoHS Directive

[Compliant By Exemption](#)

REACH Regulation

[Reference contains Substances of Very High Concern above the threshold](#)

Halogen-free status

Halogen free plastic parts product

PVC free

Yes

Silicone-free

Yes

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

End of life manual availability


No need of specific recycling operations

Take-back

Nej

Technical Illustration

Dimensions



- All dimensions are approximate and are in mm
- Also see technical documentation.