


# Product datasheet

Specifications



## chassis for drawout NT / NS630b.. 1250 - 3 poles - 1250 A

Local distributor code:

383501116

33722

EAN Code: 3303430337225

## Main

Product or component type	Chassis
Accessory / separate part category	Mounting accessory
Range compatibility	Masterpact MasterPact NT06 Masterpact MasterPact NT08 Masterpact MasterPact NT10 Masterpact MasterPact NT12 ComPact ComPact NS630b...1600
Circuit breaker name	Compact NS630bNA Compact NS630bN Compact NS630bH Compact NS800NA Compact NS800N Compact NS800H Compact NS1000NA Compact NS1000N Compact NS1000H Compact NS1250NA Compact NS1250N Compact NS1250H MasterPact NT06HA MasterPact NT06H1 MasterPact NT06H2 MasterPact NT08HA MasterPact NT08H1 MasterPact NT08H2 MasterPact NT10HA MasterPact NT10H1 MasterPact NT10H2 MasterPact NT12HA MasterPact NT12H1 MasterPact NT12H2
Poles description	3P
performance level	H2 NA H H1 N HA

## Complementary

Mounting mode	Drawout
[In] rated current	1250 A

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	53.000 cm
Package 1 Width	40.000 cm

---

<b>Package 1 Length</b>	40.000 cm
<b>Package 1 Weight</b>	17.605 kg
<b>Unit Type of Package 2</b>	P12
<b>Number of Units in Package 2</b>	6
<b>Package 2 Height</b>	90.000 cm
<b>Package 2 Width</b>	80.000 cm
<b>Package 2 Length</b>	120.000 cm
<b>Package 2 Weight</b>	117.630 kg

---

## Logistical informations

---

Country of origin FR

## Contractual warranty

---

Warranty (in months) 18



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	961 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	204 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	4 kg CO2 eq.
Carbon footprint of the installation phase [A5]	15 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	691 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	46 kg CO2 eq.
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No, we have minimized the use of plastic in the packaging in compliance with regulations and considering quality and safety standards
SCIP Number	0d2b79c1-bad6-48e6-81e2-781421341d7d
EU RoHS Directive	<a href="#">Compliant By Exemption</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>
Halogen-free status	Product contains halogen above thresholds
Silicone-free	No

## Use Longer




### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

Recyclability potential, in %	70
End of life manual availability	<a href="#">End of Life Information</a>
Take-back	Nej
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins