# Product datasheet

Specifications



## chassis for drawout NT / NS1600 - 4 poles - 1600 A

Local distributor code:

383501187 33726

**EAN Code: 3303430337263**

## Main

| | |
|---|---|
| **Product or component type** | Chassis |
| **Accessory / separate part category** | Mounting accessory |
| **Range compatibility** | Masterpact MasterPact NT16<br>ComPact ComPact NS630b...1600 |
| **Circuit breaker name** | Compact NS630bL<br>Compact NS630bLB<br>Compact NS800L<br>Compact NS800LB<br>Compact NS1000L<br>Compact NS1600NA<br>Compact NS1600N<br>Compact NS1600H<br>MasterPact NT06L1<br>MasterPact NT08L1<br>MasterPact NT10L1<br>MasterPact NT16HA<br>MasterPact NT16H1<br>MasterPact NT16H2 |
| **Poles description** | 4P |
| **performance level** | L1<br>HA<br>LB<br>H<br>N<br>NA<br>L |

## Complementary

| | |
|---|---|
| **Mounting mode** | Drawout |
| **[In] rated current** | 1600 A |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Number of Units in Package 1** | 1 |
| **Package 1 Height** | 54.0 cm |
| **Package 1 Width** | 40.0 cm |
| **Package 1 Length** | 38.0 cm |
| **Package 1 Weight** | 25.589 kg |

## Logistical informations

| | |
|---|---|
| **Country of origin** | FR |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

## Contractual warranty

| | |
|---|---|
| **Warranty (in months)** | 18 |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained

How we assess product sustainability

### Environmental footprint

| | |
|---|---|
| Total lifecycle Carbon footprint | **1 650 kg CO2 eq.** |
| Carbon footprint of the manufacturing phase [A1 to A3] | **232 kg CO2 eq.** |
| Carbon footprint of the distribution phase [A4] | **5 kg CO2 eq.** |
| Carbon footprint of the installation phase [A5] | **18 kg CO2 eq.** |
| Carbon footprint of the use phase [B2, B3, B4, B6] | **1 343 kg CO2 eq.** |
| Carbon footprint of the end-of-life phase [C1 to C4] | **52 kg CO2 eq.** |
| Environmental Disclosure | **Product Environmental Profile** |

## Use Better

### Materials and Substances

| | |
|---|---|
| Packaging made with recycled cardboard | **Yes** |
| Packaging without single use plastic | **Yes** |
| SCIP Number | **0d2b79c1-bad6-48e6-81e2-781421341d7d** |
| EU RoHS Directive | **Compliant By Exemption** |
| REACh Regulation | **Reference contains Substances of Very High Concern above the threshold** |
| Halogen-free status | **Product contains halogen above thresholds** |
| Silicone-free | **No** |

## Use Longer

### Lifetime extension

| | |
|---|---|
| Repair | **No** |

## Use Again

### Repack and remanufacture

| | |
|---|---|
| Recyclability potential, in % | **70** |
| End of life manual availability | **End of Life Information** |
| Take-back | **Nej** |
| WEEE Label | **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins** |