


# Product datasheet

Specifications



## MOUNT.PLATE 2 NSX/CVS/INS FIXED/PLUGIN TOGGLE/ROT/ MOT -3P/4P 630A VERTICAL W650

LVS03461

EAN Code: 3606481874429

### Main

Range	PrismaSeT
Range of product	PrismaSeT P
Product or component type	Mounting plate
Accessory / separate part category	Installation accessory
Range compatibility	PrismaSeT PrismaSeT P cubicle
installation description	Cubicle - width 650 mm depth 400 mm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



---

ComPact: drawout NSX630 with earth leakage protection - control: toggle - vertical installation  
ComPact: drawout NSX630 with earth leakage protection - control: direct front rotary handle - vertical installation  
ComPact: drawout NSX630 with earth leakage protection - control: motor mechanism - vertical installation

<b>Poles description</b>	1 x 3P: fixed CVS400 vertical installation 1 x 4P: fixed CVS400 vertical installation 1 x 3P: fixed CVS630 vertical installation 1 x 4P: fixed CVS630 vertical installation 1 x 3P: fixed EZC400 vertical installation 1 x 4P: fixed EZC400 vertical installation 1 x 3P: fixed EZC630 vertical installation 1 x 4P: fixed EZC630 vertical installation 1 x 3P: fixed INS320...400 vertical installation 1 x 4P: fixed INS320...400 vertical installation 1 x 3P: fixed INS500...630 vertical installation 1 x 4P: fixed INS500...630 vertical installation 1 x 3P: fixed INV320...400 vertical installation 1 x 4P: fixed INV320...400 vertical installation 1 x 3P: fixed INV500...630 vertical installation 1 x 4P: fixed INV500...630 vertical installation 1 x 3P: fixed NSX400 vertical installation 1 x 4P: fixed NSX400 vertical installation 1 x 3P: fixed NSX630 vertical installation 1 x 4P: fixed NSX630 vertical installation 1 x 3P: plug-in NSX400 vertical installation 1 x 4P: plug-in NSX400 vertical installation 1 x 3P: drawout NSX400 vertical installation 1 x 4P: drawout NSX400 vertical installation 2 x 3P: fixed NSX400 vertical installation 2 x 4P: fixed NSX400 vertical installation 2 x 3P: plug-in NSX400 vertical installation 2 x 4P: plug-in NSX400 vertical installation 2 x 3P: drawout NSX400 vertical installation 2 x 4P: drawout NSX400 vertical installation 1 x 3P: plug-in NSX630 vertical installation 1 x 4P: plug-in NSX630 vertical installation 1 x 3P: drawout NSX630 vertical installation 1 x 4P: drawout NSX630 vertical installation 2 x 3P: fixed NSX630 vertical installation 2 x 4P: fixed NSX630 vertical installation 2 x 3P: plug-in NSX630 vertical installation 2 x 4P: plug-in NSX630 vertical installation 2 x 3P: drawout NSX630 vertical installation 2 x 4P: drawout NSX630 vertical installation 2 x 3P: fixed CVS630 vertical installation 2 x 4P: fixed CVS630 vertical installation 2 x 3P: fixed CVS400 vertical installation 2 x 4P: fixed CVS400 vertical installation
--------------------------	--

<b>Number of vertical modules [50 mm]</b>	13 module(s): CVS400 without earth leakage protection , direct in 650 mm Widecubicle 13 module(s): CVS630 without earth leakage protection , direct in 650 mm Widecubicle 13 module(s): EZC400, direct in 650 mm Widecubicle 13 module(s): EZC630, direct in 650 mm Widecubicle 10 module(s): INS320...400, direct in 650 mm Widecubicle 11 module(s): INS500...630, direct in 650 mm Widecubicle 10 module(s): INV320...400, direct in 650 mm Widecubicle 11 module(s): INV500...630, direct in 650 mm Widecubicle 11 module(s): NSX400 without earth leakage protection , direct in 650 mm Widecubicle 13 module(s): NSX630 without earth leakage protection , direct in 650 mm Widecubicle 15 module(s): CVS400 with earth leakage protection , direct in 650 mm Widecubicle 13 module(s): CVS400 with earth leakage protection , direct in 650 mm Widecubicle 15 module(s): CVS630 with earth leakage protection , direct in 650 mm Widecubicle 13 module(s): CVS630 with earth leakage protection , direct in 650 mm Widecubicle 13 module(s): NSX400 with earth leakage protection , direct in 650 mm Widecubicle 15 module(s): NSX630 with earth leakage protection , direct in 650 mm Widecubicle
---	--

<b>Standards</b>	IEC 61439-2
------------------	-------------

<b>Product certifications</b>	ASTA
-------------------------------	------

## Complementary

<b>Material</b>	Sheet steel
<b>Protective treatment</b>	Electrophoresis treatment and hot-polymerised polyester epoxy powder
<b>Surface finish</b>	Matt Textured

<b>Colour</b>	White (RAL 9003)
<b>Width</b>	650 mm
<b>Height</b>	372 mm
<b>Product weight</b>	5.08 kg









## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.700 cm
Package 1 Width	37.500 cm
Package 1 Length	57.500 cm
Package 1 Weight	5.087 kg
Unit Type of Package 2	P12
Number of Units in Package 2	80
Package 2 Height	75.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	420.960 kg

## Logistical informations

Country of origin	IT
-------------------	----

## Contractual warranty

Warranty (in months)	18
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
SCIP Number	4758f26b-dbf8-498a-a5c2-4de140d6aa9a
EU RoHS Directive	<a href="#">Compliant By Exemption</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>
Halogen-free status	Halogen free plastic parts product
PVC free	Yes
Silicone-free	Yes

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again





### Repack and remanufacture

End of life manual availability	No need of specific recycling operations
Take-back	Nej

Technical Illustration

Dimensions

---



- All dimensions are approximate and are in  
- Also see technical documentation.