


Product datasheet

Specifications



PLAIN FRONT PLATE W600/W650 6M

LVS03806

EAN Code: 3606481873859

Main

Range	PrismaSeT
Range of product	PrismaSeT G PrismaSeT P
Product or component type	Front plate
Accessory / separate part category	Installation accessory
Range compatibility	PrismaSeT PrismaSeT G enclosure PrismaSeT PrismaSeT P cubicle
Type of front plate	Plain
Installed device	Power meters: kilowatt-hour meters - vertical installation connection Altistart: ATS01N
Poles description	3 x 2P: mounting plate support: kilowatt-hour meters vertical installation 2 x 4P: mounting plate support: kilowatt-hour meters vertical installation

Complementary

Enclosure/cubicle description	Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm Cubicle - width 650 mm depth 400 mm Pack enclosure - width 555 mm
Number of vertical modules [50 mm]	6
Standards	IEC 61439-2 IEC 61439-1
Product certifications	ASTA
Material	Steel
Protective treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Surface finish	Textured Matt
Colour	White (RAL 9003)
Width	500 mm
Height	300 mm
Product weight	1.22 kg
Quantity per set	Set of 1

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

functional unit	600 mm PrismaSeT G floor-standing enclosure power meters kilowatt-hour meters vertical 2P 3 6
	600 mm PrismaSeT G wall-mounted enclosure power meters kilowatt-hour meters vertical 2P 3 6
	600 mm PrismaSeT G floor-standing enclosure connection 2 6
	600 mm PrismaSeT G wall-mounted enclosure connection 2 6
	650 mm 400 mm PrismaSeT P cubicle connection 2 6
	600 mm PrismaSeT G floor-standing enclosure power meters kilowatt-hour meters vertical 4P 2 6
	600 mm PrismaSeT G wall-mounted enclosure power meters kilowatt-hour meters vertical 4P 2 6
	650 mm 400 mm PrismaSeT P cubicle power meters kilowatt-hour meters vertical 2P 3 6
	650 mm 400 mm PrismaSeT P cubicle power meters kilowatt-hour meters vertical 4P 2 6
	600 mm PrismaSeT G floor-standing enclosure Altistart ATS01N 9 6
	600 mm PrismaSeT G wall-mounted enclosure Altistart ATS01N 9 6
	600 mm PrismaSeT G floor-standing enclosure Altistart ATS01N 2 6
	600 mm PrismaSeT G wall-mounted enclosure Altistart ATS01N 2 6
	650 mm 400 mm PrismaSeT P cubicle Altistart ATS01N 9 6
	650 mm 400 mm PrismaSeT P cubicle Altistart ATS01N 2 6

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.000 cm
Package 1 Width	31.000 cm
Package 1 Length	51.000 cm
Package 1 Weight	1.213 kg
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	16.500 cm
Package 2 Width	32.500 cm
Package 2 Length	52.000 cm
Package 2 Weight	12.470 kg
Unit Type of Package 3	P12
Number of Units in Package 3	180
Package 3 Height	78.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	232.340 kg

Logistical informations

Country of origin	FR
--------------------------	----

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

Yes

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

Halogen-free status

Halogen free plastic parts product

PVC free

Yes

Silicone-free

Yes

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

End of life manual availability


No need of specific recycling operations

Take-back

Nej

Technical Illustration

Dimensions



- All dimensions are approximate and are in mm
- Also see technical documentation.