

Product datasheet

Specifications



SUPPORT 96X96 METERING DEV/ P-BUTTON FOR CUT-OUT FRONT PLATE 03911/03913

LVS03908

EAN Code: 3606481875372

Main

Range	PrismaSeT
Range of product	PrismaSeT P PrismaSeT G
Product or component type	Mounting plate
Accessory / separate part category	Installation accessory
Range compatibility	PrismaSeT PrismaSeT G enclosure PrismaSeT PrismaSeT P cubicle
installation description	Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm Floor-standing enclosure - width 850 mm Floor-standing duct - width 300 mm Wall-mounted duct - width 300 mm Cubicle - width 400 mm depth 400 mm Cubicle - width 650 mm depth 400 mm Cubicle duct - width 300 mm depth 400 mm
Mounting plate description	Plain
Installed device	Human-switchboard interface: HSI
Number of vertical modules [50 mm]	3 module(s): HSI in 600 mm Widefloor-standing enclosure 3 module(s): HSI in 600 mm Widewall-mounted enclosure 3 module(s): HSI in 650 mm Widecubicle 3 module(s): HSI in 300 mm Widecubicle duct 3 module(s): HSI in 400 mm Widecubicle 4 module(s): HSI in 850 mm Widefloor-standing enclosure 3 module(s): HSI in 300 mm Widefloor-standing duct 3 module(s): HSI in 300 mm Widewall-mounted duct 3 module(s): HSI in 850 mm Widefloor-standing enclosure
Standards	IEC 61439-2
Product certifications	ASTA

Complementary

Material	Plastic
Colour	White (RAL 9001)
Width	96 mm
Height	96 mm
Depth	21 mm
Product weight	0.04 kg

Functional unit	600 mm PrismaSeT G floor-standing enclosure human-switchboard interface HSI 4 3 600 mm PrismaSeT G wall-mounted enclosure human-switchboard interface HSI 4 3 650 mm 400 mm PrismaSeT P cubicle human-switchboard interface HSI 4 3 300 mm 400 mm PrismaSeT P cubicle duct human-switchboard interface HSI 4 3 400 mm 400 mm PrismaSeT P cubicle human-switchboard interface HSI 4 3 850 mm PrismaSeT G floor-standing enclosure human-switchboard interface HSI 1 4 600 mm PrismaSeT G floor-standing enclosure human-switchboard interface HSI 1 3 600 mm PrismaSeT G wall-mounted enclosure human-switchboard interface HSI 1 3 300 mm PrismaSeT G floor-standing duct human-switchboard interface HSI 1 3 300 mm PrismaSeT G wall-mounted duct human-switchboard interface HSI 1 3 850 mm PrismaSeT G floor-standing enclosure human-switchboard interface HSI 4 3 650 mm 400 mm PrismaSeT P cubicle human-switchboard interface HSI 1 3 400 mm 400 mm PrismaSeT P cubicle human-switchboard interface HSI 1 3 300 mm 400 mm PrismaSeT P cubicle duct human-switchboard interface HSI 1 3
------------------------	--

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.200 cm
Package 1 Width	9.500 cm
Package 1 Length	9.800 cm
Package 1 Weight	28.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	200
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	6.100 kg

Logistical informations

Country of origin	FR
--------------------------	----

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

Halogen-free status

Halogen free plastic parts product

PVC free

Yes

Silicone-free

Yes

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

End of life manual availability


No need of specific recycling operations

Take-back

Nej

Technical Illustration

Dimensions



- All dimensions are approximate and are in
- Also see technical documentation.