


# Product datasheet

Specifications



## PE V.BAR W.HOLES 50X5 L1675 LINERGY TB

LVS04515

EAN Code: 3606481870414

### Main

Range	Linergy
Range of product	Linergy
Product or component type	PE conductor flat bar
Product name	Linergy TB
Range compatibility	PrismaSeT PrismaSeT P enclosure
Quantity per set	Set of 1

### Complementary

Installation direction	Horizontal Vertical
installation description	Cubicle
[Ie] rated operational current	600 A
[Icw] rated short-time withstand current	40 kA (1 s) for 3 supports (vertical position) 40 kA (1 s) (horizontal position)
Busbar cross section	50 x 5 mm
Length	1675 mm
Width	50 mm
Depth	5 mm
Product weight	3.64 kg
Colour	Natural
Type of busbar connection	Ø 10 mm drilled hole

### Environment

Standards	IEC 61439-1 IEC 61439-2
Product certifications	ASTA

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.500 cm
Package 1 Width	12.000 cm
Package 1 Length	178.000 cm
Package 1 Weight	3.550 kg

---

<b>Unit Type of Package 2</b>	PAL
<b>Number of Units in Package 2</b>	100
<b>Package 2 Height</b>	28.000 cm
<b>Package 2 Width</b>	120.000 cm
<b>Package 2 Length</b>	202.000 cm
<b>Package 2 Weight</b>	376.000 kg

---

## Logistical informations

---

<b>Country of origin</b>	IT
--------------------------	----

## Contractual warranty

---

<b>Warranty (in months)</b>	18
-----------------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better



### Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

EU RoHS Directive

[Compliant](#)

REACH Regulation

[Free of Substances of Very High Concern above the threshold](#)

Halogen-free status

Halogen free plastic parts product

PVC free

Yes

Silicone-free

Yes

## Use Longer



### Lifetime extension

Repair

No

## Use Again



### Repack and remanufacture

End of life manual availability

No need of specific recycling operations

Take-back

Nej

WEEE Label



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Technical Illustration

Dimensions

---



- All dimensions are approximate and are in  
- Also see technical documentation.