



## NB7W-TW00B-V1

Touch screen HMI, 7 inch WVGA (800 x 480 pixel), TFT color

# Specifications

Screen diagonal	7 in
Number of pixels, horizontal	800
Number of pixels, vertical	480
Type of display	TFT
Frame color	Black
Number of Ethernet ports	0
Number of USB ports	2
Number of RS-232 ports	2
Number of RS-422 ports	1
Number of RS-485 ports	1
Number of colors of the display	65536
Number of grey-scales/blue-scales of display	64
Degree of protection (IP), front side	IP65
Width of the front	202.0 mm
Height of the front	148 mm
Width of panel cutout	191 mm
Height of panel cutout	137 mm
Built-in depth	46 mm
Product Weight (unpacked)	705 g

# Accessories



NB7W-KBA04

Protective sheets for NB7W (5 sheets)



XW2Z-200T

Cable, RS-232C, for connecting NT HMI 9-pin port to PLC 9-pin port, 2 m



XW2Z-500T

Cable, RS-232C, for connecting NT HMI 9-pin port to PLC 9-pin port, 5 m

# Downloads

CAD Library



**EVE CR-series button cells**  
Battery Safety Datasheet

EN PDF 380 KB



**NB Faceplate 4.0 - Multilanguage**  
Software

EN ZIP 89.1 MB



**NB Series Programmable Terminal**  
Brochure

EN PDF 4.06 MB



**NB-Designer Setup v1.6.6.0**  
Software

EN ZIP 495 MB



**NB-Series Getting Started Guide**

EN PDF 10 MB




**NB-Series Setup Manual**

EN PDF 6.08 MB



**NB-Series Host Connection**  
Setup Manual

EN PDF 21.3 MB



**NB7W-TW1\_B HMIs**  
Users Manual

EN PDF 43.4 MB

