

Product datasheet

Specifications



APC Replacement Battery Cartridge for Smart-UPS On-Line, 12V 5Ah lead-acid battery, 2-year repair or replace warranty

APCRBC152

EAN Code: 0731304317616

Overview

Lead time Usually in Stock

Main

Product or component type Replacement battery cartridge
Battery type Lead-acid battery
Provided equipment Installation guide
Range of product Replacement Battery Cartridges

Batteries & Runtime

Number of battery free slots 0
Number of battery filled slots 0
Device mounting Enclosed battery cartridge
Number of battery replacement quantity 1

Physical

Colour Black
Height 76 mm
Width 210 mm
Depth 762 mm
Product weight 15.29 kg
Mounting mode Not rack-mountable

Environmental

Ambient air temperature for operation 0...40 °C
Operating altitude 0...10000 ft
Relative humidity 0...95 % non-condensing
Ambient air temperature for storage -15...45 °C
Storage altitude 0...15240 m
Storage Relative Humidity 0...95 % non-condensing

Packing Units

Unit Type of Package 1 PCE

| | |
|-------------------------------------|-----------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 19.000 cm |
| Package 1 Width | 35.000 cm |
| Package 1 Length | 64.000 cm |
| Package 1 Weight | 18.460 kg |
| Unit Type of Package 2 | P06 |
| Number of Units in Package 2 | 4 |
| Package 2 Height | 75.000 cm |
| Package 2 Width | 80.000 cm |
| Package 2 Length | 60.000 cm |
| Package 2 Weight | 81.840 kg |

Logistical informations

| | |
|--------------------------|----|
| Country of origin | PH |
|--------------------------|----|

Contractual warranty

| | |
|-----------------------------|----|
| Warranty (in months) | 24 |
|-----------------------------|----|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

| | |
|--|---|
| Total lifecycle Carbon footprint | 106 kg CO2 eq. |
| Carbon footprint of the manufacturing phase [A1 to A3] | 57 kg CO2 eq. |
| Carbon footprint of the distribution phase [A4] | 2 kg CO2 eq. |
| Carbon footprint of the installation phase [A5] | 1 kg CO2 eq. |
| Carbon footprint of the use phase [B2, B3, B4, B6] | 0.6 kg CO2 eq. |
| Carbon footprint of the end-of-life phase [C1 to C4] | 44 kg CO2 eq. |
| Environmental Disclosure | Product Environmental Profile |

Use Better



Materials and Substances

| | |
|--|--|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | No |
| SCIP Number | 25764278-9ac2-4c03-941a-d133167ad10f |
| EU RoHS Directive | Compliant |
| REACH Regulation | Reference contains Substances of Very High Concern above the threshold |
| Halogen-free status | Product contains halogen above thresholds |

Use Longer



Lifetime extension

| | |
|--------|----|
| Repair | No |
|--------|----|

Use Again



Repack and remanufacture


| | |
|---------------------------------|---|
| Recyclability potential, in % | 1 |
| End of life manual availability | End of Life Information |
| Take-back | Nej |
| WEEE Label |  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |

Image of product / Alternate images

Alternative

