



 PRODUCT-DETAILS

M3N630 ELT-LI R630 F F 3P

M3N630 ELT-LI R630 F F 3P



General Information

Extended Product Type:	M3N630 ELT-LI R630 F F 3P
Product ID:	1SDA115344R1
Catalog Description:	M3N630 ELT-LI R630 F F 3P
Long Description:	C.BREAKER SACE FORMULA M3N 630 FIXED THREE-POLE WITH FRONT TERMINALS AND SOLID-STATE RELEASE IN AC ELT-LI R 630
Display Name:	M3N630 ELT-LI R630 F F 3P

Material Compliance

REACH Declaration:	9AKK108466A1425
RoHS Declaration:	9AKK108466A1424
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Conflict Minerals Reporting Template (CMRT):	9AKK108467A5658
Toxic Substances Control Act - TSCA:	9AKK108467A8326
SCIP:	553fe769-694a-4efa-b141-88eb8b2e1fa8 China

Simplified SCIP:	d68278c9-f771-41b9-8771-c36e9dec1dbc Germany f8aa8719-d051-4eef-9d67-8da4bfbbbd8e Germany 07c8cc84-3ee9-44a7-af42-186ea52a2169 Norway 29f50402-0d6b-482a-b597-f01b7d8fbc44 France 76e349d9-7575-4b45-a026-d7439122751d Poland cf5f3f51-7529-49c3-87db-3e4baa377db5 Greece cff41f15-df15-4f4a-9466-e997e69cf1b7 Hungary b42d6304-6ab5-4e97-9232-25f78b066103 Germany bdb74e51-d84b-46c8-aa0a-22392903ea0a Denmark 325ac677-76e6-4431-a015-dcab1c15e064 Spain 3439d2da-127c-4871-9116-0e8b92329bf1 Portugal 2cbc0f98-f68e-41fd-8b04-bb38dad05ea0 Germany ba3b67e2-b961-45c3-9bd6-b7b00ae096b9 Finland 8b71eb1c-fd0d-43a1-854e-0aafc553ac34 France 6bfa469a-1383-4ed9-8ba5-58bba0ddee3a Germany 58ef9aa5-2f6f-4e50-8d55-4ab0117310a2 Sweden 3c14d255-b50e-4c20-9e57-cc77ac891562 Poland 11880fab-9602-46cb-96b2-534cda95d69f Belgium 4c9828e3-661b-42dd-91e5-3cb535f0021f Netherlands c0f7fa3a-5ea2-4ae4-bceb-38362972c606 Czech Republic 80255eed-184f-4e04-ba78-10b0844d540a Bulgaria bda43e88-f54d-4e05-be86-972905c56cbe Sweden e4a22c4d-26ed-441a-a885-2b1ddf688bd0 Poland
-------------------------	--

Environmental

Environmental Information:	9AKK108467A6707
-----------------------------------	-----------------

Ordering

Minimum Order Quantity:	1 piece
Customs Tariff Number:	853620

Dimensions

Product Net Width:	139.5 mm
Product Net Height:	205 mm
Product Net Depth / Length:	103.5 mm
Product Net Weight:	3.25 kg

Container Information

Package Level 1 Units:	box 1 piece
Package Level 1 Gross Weight:	3.25 kg

Additional Information

Product Main Type:	SACE FORMULA ATM
Product Name:	Moulded Case Circuit Breaker

Technical

Standards: IEC

Certificates and Declarations

ATEX Certificate: No certification needed

Data Sheet, Technical Information: 1SXF210035C2001

Declaration of Conformity - CE: 9AKK108466A6991

UL Certificate: No certification needed

VDE Certificate: No certification needed

External Classifications and Standards

Object Classification Code: Q

WEEE Category: 5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Products > Low Voltage Products and Systems > Circuit Breakers > Moulded Case Circuit Breakers > Formula ATM

