



 PRODUCT-DETAILS

OFAA000AM25

OFAA000AM25 HRC FUSE LINK



General Information

Extended Product Type:	OFAA000AM25
Product ID:	1SCA022660R8530
EAN:	6417019212906
Catalog Description:	OFAA000AM25 HRC FUSE LINK
Long Description:	Fuselink, rated current 25A, size NH000, rated voltage 690VAC, utilization category aM, rated breaking capacity 80 kA
Display Name:	OFAA000AM25

ABB EcoSolutions

Environmental Information:	1SCC317009D0201
----------------------------	-----------------

Material Compliance

Conflict Minerals Reporting Template (CMRT):	9AKK108467A5658
REACH Declaration:	1SCC011021D0201

RoHS Declaration:	1SCC011020D0201
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Popular Downloads

Data Sheet, Technical Information:	1SCC317001C0201
Instructions and Manuals:	No Instructions and Manuals needed

Ordering

Minimum Order Quantity:	3 piece
Customs Tariff Number:	85361050
Country of Origin:	Hungary

Dimensions

Product Net Width:	85 mm
Product Net Height:	70 mm
Product Net Depth / Length:	60 mm
Product Net Weight:	0.12 kg

Container Information

Package Level 1 Units:	bag 3 piece
Package Level 1 Width:	70 mm
Package Level 1 Depth / Length:	85 mm
Package Level 1 Height:	60 mm
Package Level 1 Gross Weight:	1.134 kg
Package Level 1 EAN:	6417019212906

Technical

Fuse Size:	NH000
Fuse System:	DIN
Fuse Type:	aM
Power Loss:	at Rated Current 1.2 W
Rated Current (I_n):	25 A
Rated Voltage (U_r):	690 V
Standards:	IEC 60269
Utilization Category:	aM (Switchgear protection)

Certificates and Declarations

Declaration of Conformity - CE: 1SCC317005D2706

External Classifications and Standards

ETIM 9:	EC000055 - Knife blade fuse
ETIM 10:	EC000055 - Knife blade fuse
UNSPSC:	39121600
eClass:	V11.1 : 27142005
WEEE Category:	5. Small Equipment (No External Dimension More Than 50 cm)
E-Number (Finland):	3111078

Categories

Products > Low Voltage Products and Systems > Fusegear > Fuse Links

