


Product datasheet

Specifications



Mounting base for TeSys Giga electronic overload relay LR9G115-225, independent mounting below contactor LC1G115-225

LA9G3650

EAN Code: 3606481916556

Main

Range	TeSys
Device short name	LA9G
Product or component type	Mounting base
Accessory / separate part category	Installation accessories
Range compatibility	TeSys G LC1G contactor
Product compatibility	LC1G115...225 LC1G205...245 LR9G115...225
Quantity per set	Set of 1

Complementary

[I _e] rated operational current	225 A
IP degree of protection	IP20 conforming to IEC 60529
Height	10 mm
Width	95 mm
Depth	110 mm
thickness	3 mm
Product weight	0.3 kg

Environment

Operating altitude	3000 m without derating 5000 m with derating factor
Standards	EN/IEC 60947-4-1 UL 60947-4-1 CSA C22.2 No 60947-4-1
Pollution degree	3 conforming to IEC 60947-1
Ambient air temperature for operation	-40...60 °C
Ambient air temperature for storage	-60...80 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.500 cm

Package 1 Width	13.000 cm
Package 1 Length	13.000 cm
Package 1 Weight	201.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	20
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	4.390 kg

Logistical informations

Country of origin	CN
-------------------	----

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

Yes

Packaging without single use plastic

No

SCIP Number

958748fb-37b2-4e37-985e-0763521c22ab

EU RoHS Directive

[Compliant By Exemption](#)

REACH Regulation

[Reference contains Substances of Very High Concern above the threshold](#)

Halogen-free status

Halogen free plastic parts product

PVC free

Yes

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture


End of life manual availability

[End of Life Information](#)

Take-back

No

WEEE Label

 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins