

circular conduc. terminal TA5.1 2 x 150...300 mm² for 2 cables; 3 units accessory for: plug-in unit 3VA9603-0KP00 3VA15/25/26



Model				
product brand name	SENTRON			
product designation	circular conductor terminal 3 units			
design of the product	Connection method			
accessories	Wire connector			
General technical data				
designation / of the terminal	TA5.1			
type of electrical connection / with control wire tap	No			
Mechanical Design				
Net Weight	1.039 kg			
Connections according IEC				
connectable conductor cross-section				
<ul style="list-style-type: none"> for copper cable / stranded / minimum for copper cable / stranded / maximum for aluminum cable / stranded / minimum for aluminum cable / stranded / maximum 	150 mm ² 300 mm ² 150 mm ² 300 mm ²			
stripped length	45 mm			
tightening torque / when using copper cables				
<ul style="list-style-type: none"> stranded finely stranded finely stranded / with core end processing 	150 - 300 mm ² : 30 Nm 150 - 240 mm ² : 30 Nm 150 - 185 mm ² : 30 Nm			
Connections according UL				
stripped length	1.77 in			
Certificates				
General Product Approval	EMV	Maritime application	other	Environment

[Miscellaneous](#)



[Miscellaneous](#)

[Environmental Confirmations](#)

Environment



Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9603-0JJ25>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9603-0JJ25>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9603-0JJ25

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>



last modified:

4/6/2026 

