

Product datasheet

Specifications



Wired, Sensor, NetBotz, 2 Door Switch Sensor, 12ft.

NBES0303

Overview

Presentation	Universal Sensor that monitors access to NetShelter SX Enclosures.
Lead time	Usually Ships within 2 Weeks

Main

Product or component type	Sensor
Range of product	Netbotz
Provided equipment	Cable ties
Product compatibility	4 - 20 mA sensor Rack sensor pod 150 Room sensor pod 155 Sensor pod 120 NetBotz USB camera pod Pelco IP110-CHV9

General

Display resolution	Up to 640x480
Connections supported	Alarm beacon 1 PS/2 mini-DIN
Universal sensor supported	Door contact Humidity Smoke Temperature
Number of universal sensor ports	2
Number of sensor pods supported	0
Number of universal sensors supported	0
Sensor humidity	10...90 % +/- 5 % non-condensing RH
Number of supported camera	4 for networked 4
Measurement range	1.6...48.8 °C: +/- 1 °C 35...120 °F:

Physical

Height	1.9 cm
Width	14.6 cm
Depth	18.7 cm
Product weight	0.37 kg
Mounting preference	No preference

Mounting mode	Not rack-mountable
---------------	--------------------

Output

Number of port	0
----------------	---

Environmental

Ambient air temperature for operation	0...45 °C
---------------------------------------	-----------

Operating altitude	0...10000 ft
--------------------	--------------

Relative humidity	0...95 %
-------------------	----------

Ambient air temperature for storage	-15...65 °C
-------------------------------------	-------------

Storage altitude	0...15240 m
------------------	-------------

Storage Relative Humidity	0...95 %
---------------------------	----------

Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
------------------------------	---

Package 1 Height	4.8 cm
------------------	--------

Package 1 Width	23.2 cm
-----------------	---------

Package 1 Length	16.4 cm
------------------	---------

Package 1 Weight	0.489 kg
------------------	----------

Logistical informations

Country of origin	US
-------------------	----

Contractual warranty

Warranty (in months)	24
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
SCIP Number	780cb2d6-f852-4c3c-987f-e705629194ca
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold

Use Longer




Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins