



 PRODUCT-DETAILS

CC-U/STDR

CC-U/STDR Universal signal converter 110-240VAC 50/60Hz / 100-300VDC



General Information

Extended Product Type:	CC-U/STDR
Product ID:	1SVR040011R2500
EAN:	4013614351457
Catalog Description:	CC-U/STDR Universal signal converter 110-240VAC 50/60Hz / 100-300VDC
Long Description:	The CC-U/STDR is a standard analog signal converter from the CC-U range. This converter, with relay outputs and with 3-way electrical isolation, operates with a rated control supply voltage of 110-240 V AC and provides pluggable connecting terminals. 7 input signal ranges as well as open- or closed-circuit operating principle can be configured by means of directly accessible lateral DIP switches. This converter has 2 threshold relay outputs with one c/o (SPDT) contact each. The threshold values and the respective hysteresis can be adjusted independently from each other with front-face potentiometers. Applied supply voltage is displayed by a green LED and two yellow LEDs display the state of the output relays.
Display Name:	CC-U/STDR

Ordering

Minimum Order Quantity:	1 piece
--------------------------------	---------

Customs Tariff Number: 85364900

Product Main Type: CC-U

Popular Downloads

Data Sheet, Technical Information: 2CDC110004C0210_05

Instructions and Manuals: 1SVC497200M5000

Instructions and Manuals (Part 2): 1SVC040000M9000

EPLAN Data: 9AAC201198_EPLAN

Dimensions

Product Net Width: 22.5 mm

Product Net Depth / Length: 120 mm

Product Net Height: 105 mm

Product Net Weight: 0.142 kg

Technical

Function: Standard signals
Universal

Output: 2 C/O Contacts

Output Signal: 2 c/o (SPDT) contacts

Power Loss: Approximately 2 W

Standards: CAN/CSA C22.2 No.14
EN 50178
IEC/EN 63000
IEC/EN 60947-5-1
IEC/EN 61000-6-2
UL 508

Sub-Function: Universal

Material Compliance

Conflict Minerals Reporting Template (CMRT): 9AKK108467A5658

RoHS Declaration: 1SVD981033-0001

RoHS Information: Following EU Directive 2011/65/EU

WEEE B2C / B2B: Business To Business

WEEE Category: 5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

CB Certificate: CB_DK-9293

CCC Certificate:	CCC_2006010303193065
cUL Certificate:	cUL_Certificate_CC_relay output
Declaration of Conformity - CE:	1SVD981033-0001
UL Certificate:	UL_Certificate_CC_relay output

Container Information

Package Level 1 Units:	carton 1 piece
Package Level 1 Width:	109 mm
Package Level 1 Depth / Length:	26 mm
Package Level 1 Height:	124 mm
Package Level 1 Gross Weight:	0.171 kg
Package Level 1 EAN:	4013614351457

External Classifications and Standards

eClass:	V11.0 : 27210120
ETIM 6:	EC002653 - Isolation amplifier
ETIM 7:	EC002653 - Isolation amplifier
ETIM 8:	EC002653 - Isolation amplifier
ETIM 9:	EC002653 - Isolation amplifier
Object Classification Code:	T

Categories

Products > Low Voltage Products and Systems > Control Products > Signal Converters > Analog Signal Converters

